

MICROCOPY RESOLUTION TEST CHART
MATIONAL BUREAU OF STANDARDS-1963-A





AD A 129052

A Statistical Survey of Vessel Performance and Configuration Characteristics on Inland Waterways



FILE COPY

FEBRUARY 1983

This document has been approved for public release and sale; its distribution is unlimited.

83 06 08 RESEARCH REPORT 63R-

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION		READ INSTRUCTIONS BEFORE COMPLETING FORM
I. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
Research Report 83-R1	AD-A12905	2
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
A Statistical Survey of Vessel and Configuration Characteristi		Research
Inland Waterways		6. PERFORMING ORG. REPORT NUMBER 83-R1
7. AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(#)
PERFORMING ORGANIZATION NAME AND ADDR Institute for Water Resources Water Resources Support Center Fort Belvoir, Virginia 22060		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Institute for Water Resources		February 1983
Water Resources Support Center		13. NUMBER OF PAGES
Fort Belvoir, Virginia 22060		127
14. MONITORING AGENCY NAME & ADDRESS(# dif	ferent from Controlling Office)	15. SECURITY CLASS. (of this report)
		Unclassified
		154, DECLASSIFICATION/DOWNGRADING

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Re ri)

18. SUPPLEMENTARY NOTES

The source survey for this report was conducted before the Performance Monitoring System (PMS) was available system wide. More complete and recent statistics can now be retrieved through PMS for tow speeds and sizes but not for delays. Also PMS is only applicable to canalized waterways.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Statistical Survey

Vessel Performance

Study Design . Tow Speeds

Tow Sheeds

Average Delays

Transit Time

Annual Velocity

Input Data

Navigation Improvement

Barge Rates

20. ABSTRACT (Continue on reverse side if responsely and identify by block number)

This report provides information about tow characteristics for the Mississippi River, its tributaries and the Gulf Intracoastal Waterway. It will allow for consistent input data to be used in the evaluation of navigation improvements. The performance and characteristics of tows on the waterways are important determinants of barge rates and inputs into waterway cost models.

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE


UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

A STATISTICAL SURVEY OF VESSEL PERFORMANCE AND CONFIGURATION CHARACTERISTICS ON INLAND WATERWAYS

by Brad Jolson and David F. Bastian

NAVIGATION ANALYSIS CENTER INSTITUTE FOR WATER RESOURCES WATER RESOURCES SUFFORT CENTER





February 1983

Research Report 83R-1

Copies may be purchased from:

National Technical Information Service U.S. Department of Commerce Springfield, Virginia 22151

This report is not to be construed as necessarily representing the views of the Federal Government nor of the U.S. Army Corps of Engineers.

LIST OF TABLES

Table		Page
1.	Vessel by Stratification	3
2.	Average Annual Tow Speeds by Waterway, Type and Direction	9
3.	Average Seasonal Tow Speeds by Waterway, Type and Direction	23
4.	Standard Deviation of Tow Speeds	56
5.	Median Tow Speeds by Waterway, Type and Direction	57
6.	Average Number of Barges per Tow	63
7.	Average Number of Barges per Tow (by seasons of the year)	67
8.	Percent Backhaul Empty	76
9.	Percent Backhaul Empty by Season	80
10.	Average Transit Time for Each Lock Traversed by Waterway	89
11.	Average Transit Time for Each Lock Traversed by Waterway and Season	90
12.	Average Delays by Waterway - All Movements	91
13.	Average Delays by Waterway for Within System Movements	98
14.	Average Delay by Waterway for Intersystem Movements	103
15.	Average Delay by Waterway and Season	. 110
	LIST OF FIGURES	
Figure	<u>es</u>	Page
1.	Tow Speeds Weighted Average Annual Velocity, Underway	124
2.	Tow Speeds Weighted Average Annual Velocity, Downstream	125
3.	Tow Speeds Weighted Average Annual Velocity, Upstream	126
4.	Tow Speeds Weighted Average Annual Velocity. With Delays	127

The state of the s

TABLE OF CONTENTS

- I. Introduction
 Background
 Purpose
 Data Collection Responsibility
- II. Study Design
 Statistical Aproach
 Data Sources
 Sample Design
 Errors
- III. Study Results
 Tow Speeds
 Average Number of Barges per Tow
 Percent Backhaul Empty
 Average Delays, by Type
- IV. Conclusions
- V. Recommendations

TABLES

FIGURES

I. INTRODUCTION

Background

1. An important aspect of the benefit-cost analysis performed by the Corps of Engineers in its evaluation of navigation improvements is the physical performance of tows throughout the inland navigation system. The performance and characteristics of tows on the waterways are important determinants of barge rates, and inputs into waterway cost models.

Purpose

2. The purpose of this report is to provide information about tow characteristics for the Mississippi River, its tributaries and the Gulf Intracoastal Waterway. This will allow for consistent input data for use in the evaluation of navigation improvements utilizing system-analytic techniques.

Data Collection Responsibility

3. The data collected in the survey was for calendar year 1978, and was obtained by St. Louis District personnel between July 1979 and January 1980.

II. STUDY DESIGN

Statistical Approach

4. To determine operating characteristics of the towing industry such as towboat and barge utilization and tow speeds a sampling procedure was necessary. Established statistical techniques and methods were used to obtain inputs and outputs. Specification error and other common statistical errors were investigated to insure reliable output.

Data Sources

- 5. Alternatives. At the time of this study there were three potential sources for input data:
 - o Performance Monitoring System (PMS)
 - o Carrier Survey
 - o Vessel Master Logs
- 6. PMS. The Performance Monitoring System (PMS) data contains vessel and tow information as well as lock processing times. The most recent PMS data available (at the time of this study) was for the year 1976 which was the second year of data gathering under PMS. However, the data collected by the Corps at that time was incomplete. In addition to PMS not being system-wide in 1976, three other characteristics prevented its application.

1

- 7. The problem of computing underway speed by subtracting out locking times does not account for delays incurred other than at locks. Therefore, the resultant underway speed would be incorrect. Delays such as weather, fleeting, repairs, supply or other delays as expressed in this report are not identifiable when using PMS.
- 8. The absence of locks on the lower Mississippi River preclude using PMS to determine speeds or vessel characteristics for that region.
- 9. Carrier Survey. Carrier surveys are a source of input but are subject to bias and misinterpretation in responses from carriers surveyed. It may be in the interest of those interviewed to overestimate delays and underway speed and to under-estimate transit time.
- 10. The Vessel Logs. The source of data chosen was the vessel master logs maintained by the vessel captains. Vessels are required to report their position at least every six hours as well as to list the dock of origin and destination, fleeting stops, lockings and all delays by time and type. Barge numbers and tow configuration are also listed. The comprehensive nature of information at the time of this study allowed for the most complete and accurate reporting of the required information.
- 11. Accuracy of the Vessel Logs. The logs are kept by the firms which operate the vessels. Their accuracy is necessarily high because insurance procedures require log audits in order to pay off claims.

Sample Design

- 12. <u>Sample Source</u>. There are approximately 3,250 vessels which operate along the <u>Mississippi</u> River basin and its tributaries. Approximately one-half of these do not make through movements on the inland river system, being either harbor vessels, work vessels or passenger boats. The remainder of the vessels, slightly more than 1,500, are those which make through movements and, thus, comprise the universe for data collection. These vessels are described in the <u>Inland River Record</u> (Waterways Journal) which lists vessels, their characteristics, owners and operators.
- 13. Stratifying the Sample. The sample was stratified into ranges of horsepower based upon the tonnage moved by towboats of a given horsepower range. For example, if vessels in the 5000-6000 horsepower range carry ten percent of tonnage on the system during a certain period, then ten percent of the sample was composed of vesse. I from that range. 1976 PMS data was used to determine this stratification.
- 14. Sample Size. One hundred vessels were considered to be the minimum sample size.
- 15. <u>Vessel Selection</u>. The second part of the sample selection involved the choice of vessels. As mentioned above, the source used for the vessels was the <u>Inland River Record</u>. Vessels could have been chosen by owner, by name, or by assigning a random number to each vessel. The choice of vessel by random number avoided potential biases.

A STORY OF THE STORY

- 16. The Random Number Process. Each vessel was assigned a random number of five digits. The random numbers were then listed in order of horsepower from lowest to greatest. Vessels of equal horsepower could be distinguished only by their random number.
- 17. This list was then broken up into nine horsepower groups, according to the groups specified in the stratification data, and listed in Table 1. The number of vessels desired from each group was determined, based upon the stratification data. A vessel from each interval was selected by random number. The remaining vessels were selected from each interval at equidistant spacing. For example, suppose a given interval contained 25 vessels, and five vessels were needed from this interval. Each of these vessels would be numbered from 1 to 25 and a random number generated would be generated from this set of vessel numbers, say 17. The vessels selected from this interval then, would be numbers 17, 22, 2, 7 and 12. These numbers were decoded to determine the vessel name and owner.

TABLE 1
VESSEL STRATIFICATION
by
Horsepower and Number

Class	Horsepower	No. of Vessels
Á	600-1600	24
В	1600-2200	19
C	2200-2800	17
D	2800-3800	34
B	3800-4800	25
P	4800-5400	18
G	5400-6200	4
H	6200-7500	4
1	7500-9000	1
J	9000-10500	1
TOTAL		150

- 18. Non-Operating Vessels. In a few instances, vessels did not operate during part or parts of the sampled period (January, April, July and October of 1978). When this occurred, no sample replacement was made.
- 19. Non-Replacement. When a vessel did not operate due to drydocking operations or was used as a harbor vessel, the timing of such operations was important and relevant to the study. For instance, needed repairs may have been held off until January in anticipation of ice delays which might detain the voyage anyway. Replacement of these vessels infers that the timing of these operations is arbitrary. Therefore replacement was not made.
- 20. The Four Month Data Scheme. A four-month period of information was obtained from each vessel log. A month was picked at random (so as not to

CONTRACTOR OF THE STATE OF THE

bias the samp?s) and that and each subsequent third month was adjected to provide input data. January, April, July and October were chosen. This reduced the data collection effort while allowing for seasonal analysis.

21. The Data Collection Process. All data for any trip which occurred during any part of the sample period was recorded. For instance, if a trip began in December, but extended into January, it was recorded. Trips which extended beyond the end of the sample month were treated similarly.

Errora

- 22. Sampling and Non-Sampling Error. Generally, possible errors in estimates of universe parameters may be classified as being associated with the sampling process (sampling error) in a sample survey, and/or related to the data collection and processing (non-sampling error). In practice, sampling errors are more likely, while non-sampling errors are more readily controlled so that the total error is approximated by the measure of sampling error.
- 23. Exclusion Errors. The principle possibilities for non-sampling errors occur via exclusion of sampled items and in processing. Exclusion can occur by inability to locate the vessel logs, or from respondent noncooperation. There was no incidence of inability to locate the vessel logs, though there were two whose owners refused to cooperate. In these instances as explained previously, no replacement took place.
- 24. <u>Processing Errors</u>. Processing errors were primarily human errors in coding, transcribing, and key punching data. Close double checking and computer programs written for the purpose of checking errors reduced these errors with no discernable bias.
- 25. Sampling Errors. Sampling errors result from the fact that the statistics presented in this report are estimated from a sample. The particular sample that was selected is one of the large number of all possible samples of the same size that could have been selected using the sample design. Estimates derived from the different samples would differ from each other and from the results of a complete collection of the universe of data using the same procedures.

III. STUDY RESULTS

Tow Speeds

26. <u>Introduction</u>. Tow speeds determined from the vessel logs of the 150 chosen towboats for the months January, April, June and October 1978 are presented in Tables 2 through 4. These tables show speeds (in miles per hour) as a function of trip type, direction, season, waterway and horsepower.

- 27. <u>Data Accuracy</u>. Tow speeds were derived directly from the vessel logs. Interpolation was necessary for inter-system movements (trips traversing more than one river) whenever the logs did not specify the time at which the tow changed (entered or exited) rivers.
- 28. <u>Definitions</u>. Underway speed is, as the name implies, speed while moving. Weighted average speed is the sum of the mileage in a given aggregation divided by the amount of time taken to travel that mileage and places more weight on longer trips than shorter trips. This figure is probably more representative of the correct speeds because shorter trips tend to have extreme ranges in speed especially when they occur totally between constraints (i.e., locks).
- 29. Table 2. Table 2 presents average tow speeds on a given waterway by direction, with and without delays and as a function of inter or intra movements with respect to the subject waterway. This table does not allow for determination of tow size, configuration or draft. Nor does it provide towboat horsepower or the tonnage moved. All of these would influence speed. The variability of these parameters is greater in some rivers than others. However, a proper sample would reflect these parameters in a representative manner.
- 30. Inter and Intra-System Movements. The differences between the inter-system and intra-system figures imply various things about the usage of those waterways. The faster speeds, larger tows and greater occurrence of inter-system movements on a certain waterway would imply its use mostly as a feeder waterway and that most trips begin or end before a major constraint point. One example would be the termination of many trips entering the Upper Mississippi River at mile 0 (Cairo, I1) and ending at St. Louis, or beginning southbound at St. Louis and avoiding Locks and Dam No. 26.
- 31. Figures 1 4. Figures 1 through 4 show the average annual weighted tow velocities for each waterway by direction with and without delays. The highest downstream underway velocities are recorded in the lower Mississippi and Missouri Rivers, respectively. Because these two rivers are open channel, the current velocities are generally higher, which helps to account for the higher tow speeds in the downstream direction and also helps to account for the Missouri showing the lowest upstream underway velocity.
- 32. The large difference between upstream and downstream underway velocity (Figure 1) on these two rivers when compared to the canalized rivers is also reflective of their higher current velocities.
- 33. Figures 2-4 show the relative effect of delays on tow speeds. Delays are of three major types: weather, traffic and carrier (i.e., frequency of loading).
- 34. Table 3. Table 3 subdivides the data presented in Table 2 into seasonal values. The percentage usage is the ratio of miles traveled on that waterway for that season (sampled month) to the total miles traveled on that waterway for all seasons (sampled months).

The state of the s

- 35. As would be expected, ice and weather conditions lowered usage numbers on several rivers during the winter. The Missouri is closed to winter navigation explaining the absence of winter observations. In the case of the Black Warrior Tombigbee River System, low winter usage was the result of a coal strike during the sample period.
- 36. Open Pass Gonditions. The lower four locks (50, 51, 52 and 53) on the Ohio River were not used except during the fall of 1978 because river stages were sufficient to allow open pass operation. Tow speeds in the fall show the effects of having to lock through the additional four locks.
- 37. Standard Deviations. The statistics contained in Table 4 are the sample standard deviations by waterway and direction for speeds with and without delays.
- 38. Table 5. Table 5 lists median speeds for each river. Testing revealed no significant skewness in the speed distributions.

Average Number of Barges Per Tow

- 39. Introduction. Tables 6 and 7 present a breakdown of tow sizes in terms of the number of barges by waterway, direction, and season, for all barges, loaded or empty, regardless of commodity types. In some cases the average number of barges per tow presented is misleading. Based upon the vessel logs, the average number of barges is largest on the Monongahela and fourth largest on the lower Mississippi. Apparently the numbers presented for the Monongahela represents trips below the lowest pool on the river. There is a fleeting area just below the first lock at river mile 11.2. The number of barges obviously represent those tows that were just coming off or just going There are a large number of intersystem movements onto the Ohio River. between the mines and the power plants and these tows are much smaller. The same probably applies to the Allegheny River tow sizes presented. relatively low average number of barges listed for the lower Mississippi results from the fact that about 50% of the tows sampled were carrying petroleum only. In general, liquid cargo (tank) barges are much larger than dry cargo barges and therefore it takes far fewer barges to achieve the same payload as tows containing dry cargo barges.
- 40. One cannot make a direct comparison of tow size between river systems based on average number of barges because of the range in dimensions of barges. This would also inhibit being able to correlate speeds as a function of tow size. Despite the above problems, the average number of barges per tow as presented represent the tows sampled from which tow speeds were derived.

Percent Backhaul Empty

41. <u>Backhaul</u>. One half of all the barges on a given trip are considered to be on the front haul, that is, the trip to which this movement is dedicated. The rest are, therefore, defined as returning or on the backhaul. Based upon

this, the percentage of empty backhaul barges was calculated considering only 50% of the number of barges per tow as the base number. All empty barges up to 50% of the total number of barges in the tow are assigned to the backhaul category and are raticed to the number of barges defined numerically as backhaul. Due to the definition whenever there is a calculated 100% empty backhaul, one cannot determine whether or not the front hauls are all loaded.

42. Example. For example, if an aggregation has 10 barges, 8 of which are full then five of the loaded barges are on the front haul. The remaining three loaded barges are on the backhaul. This means that 60 percent of the backhaul is full, and the backhaul figure (percentage empty) reported would thus be 40%. See Tables 8 and 9.

Waterway Lock Transiting Times

43. Tables 10 and 11 present the annual and seasonal average lock transiting times for a given waterway. These times are composed of the waiting and processing times that tows incur at each lock. To determine these values all of the processing and waiting times for all locks traversed on a given waterway were summed. This value was then divided by the product of the lock density (locks per mile) and summation of miles traversed. Therefore these numbers apply to each waterway as a whole and are not indicative of the actual times at individual locks.

Average Delays, by Type

44. Introduction. Tables 12-15 report on delays by waterway and type. The probability of occurrence is the chance of the vessel stopping for that reason on a given trip. The mean delay is the average delay when that type of delay occurs. The mean delay per trip is then the product of these numbers.

45. Classifications.

The delays are classified as follows:

Weather - all weather related stops, except fog and ice

Fog - self explanatory

Locking - includes awaiting lockages

Repairs - self explanatory

Ice - self explanatory

Crew Change - awaiting new crew (while stopped)

Supplies - includes fueling stops, but not fueling while underway

Awaiting Orders - stops to await order change (during a voyage)

Vessel Assisting - assisting other vessels

Awaiting Berth - at fleet point with no dock space

Bridge Wait - self explanatory

Fleeting - dropping and adding barges to tow and associated shifts.

- 46. Method. Each reported delay is the sum of that type of delay per voyage. Mean Delays are expressed in hours.
- 47. <u>Insufficient Data</u>. In Tables 14 and 15, no statistics are reported for the Allegheny, Arkansas, Port Allen to Morgan City Route and Monongahela Rivers due to insufficient data.

IV. CONCLUSIONS

- 48. The tow speeds, average number of barges, lock transit times and delay types and times presented show the operational characteristics of the various waterways.
- 49. Based upon data presented the reader cannot correlate tow speeds with water currents, horsepower, or number, load, configuration and draft of barges.
- 50. The average number of barges for the Monongahela and Allegheny Rivers seem high and may reflect an insufficient sample size.
- 51. The average number of barges per tow per waterway does not allow for calculating tow dimensions or arrangement.

V. RECOMMENDATIONS

- 52. Now that PMS is well established it could be used to verify speeds presented (except for the Lower Mississippi and Missouri River) as well as allow for a more comprehensive analysis.
- 53. This study should be extended to include tow speeds as a function of load. This can be done through PMS.
- 54. The average tow size should be evaluated on a pool basis and should include average load, number of barges, dimension of tow and associated horsepower.

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

TABLE 2

			TOTAL	Intra System	INTER SYSTEM
Allegheny River					
Downriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays		SAMPLE SIZE	TOO SMALL
Upriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays		SAMPLE SIZE	TOO SMALL
Total	Average, Weighted	Underway with Delays Average, Underway Average, with Delays		SAMPLE SIZE	TOO SMALL

Sample Size = 15 trips

TABLE 2 (continued)

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

		TOTAL	intr a System	INTER SYSTEM
Arkansas River				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.76 4.37 6.12 4.21	SAMPLE SIZ	e too small
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.04 4.79 6.09 4.89	SAMPLE SIZ	E TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.35 4.62 5.99 4.65	SAMPLE SIZI	E TOO SMALL

Sample Size = 18 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

TABLE 2 (continued)

		TOTAL	intra System	inter System
Black Warrior-Tomb	igbee River System			
Downriver	Average, Underway	6.70	6.76	5.01
	Average, with Delays	5.54	5.75	4.10
	Weighted Average, Underway	6.59	6.62	4.99
	Weighted Average, with Delays	5.35	5.59	4.08
Upriver	Average, Underway	5.32	5.13	5.61
-	Average, with Delays	4.38	4.39	4.34
	Weighted Average, Underway	5.24	5.06	5.56
	Weighted Average, with Delays	4.31	4.31	4.31
Maka l	Average, Underway	5.96	5.89	5.34
Total	Average, with Delays	4.92	5.02	4.23
	Weighted Average, Underway	5.74	5.63	5.25
	Weighted Average, with Delays	4.70	4.78	4.21
	Melduced Wastade, Alon perale	4.70	4.75	4.21

Sample Size = 69 trips

TABLE 2 (continued)

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Nour)

Cumberland River		TOTAL	In tra System	inter System
. Downriver	Average, Underway	8.33	8.22	8.36
	Average, with Delays	6.58	6.95	6.47
	Weighted Average, Underway	8.01	7.28	9.31
	Weighted Average, with Delays	5.81	5.43	6.49
Upriver	Average, Underway	5.76	4.72	5.95
	Average, with Delays	4.67	4.39	4.72
	Weighted Average, Underway	4.29	4.76	4.25
	Weighted Average, with Delays	3.61	4.43	3.55
Total	Average, Underway	6.94	6.72	6.99
	Average, with Delays	5.55	5.85	5.48
	Weighted Average, Underway	5.57	6.23	4.58
	Weighted Average, with Delays	4.45	5.07	5.81

Sample Size = 37 trips

TABLE 2 (continued)

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

		TOTAL	Intra System	inter System
Gulf Intracoastal Wat	terway	•		
Eastern Portion				
(New Orleans to	Average, Underway	6.45	5.91	7.17
Pensacola)	Average, with Delays	5.01	5.01	5.01
	Weighted Average, Underw	ay 6.04	5.67	6.90
	Weighted Average, w/Dela	ys 4.32	4.33	4.30
Sample Size = 63				
Western Portion			_	
(Houston to	Average, Underway	7.02	6.27	7.74
New Orleans)	Average, with Delays	5.51	5.02	5.76
	Weighted Average, Underw	ray 6.83	5.74	6.93
	Weighted Average, w/Dela	ys 5.26	4.54	5.23

Sample Size = 72 trips

TABLE 2 (continued)

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles Ber Hodr)

		TOTAL	Intra System	Inter System
ILLINOIS RIVER				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.45, 3.28 4.94 2.74	4.88 2.72 4.16 2.34	6.29 4.02 5.69 3.16
Upriver	Average, with Delays	4.17 2.94 4.03 2.51	4.52 2.34 3.52 2.06	5.35 3.87 5.22 3.41
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays		4.69 2.51 3.76 2.17	5.75 3.93 5.39 3.31

Sample Size = 184 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

Illinois Waterway	System North of Lockport, IL	TOTAL	intra System	INTER SYSTEM
(including Calumet	-Saginaw, Chicago Sanitary and Sh	ip Canal a	ind Chicago	River)
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.76 2.45 5.15 2.39	SAMPLE SI	ZE TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.17 2.07 3.67 2.16	SAMPLE SI	ZE TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.94 2.25 4.26 2.27	SAMPLE SI	ZE TOO SMALL

SAMPLE SIZE = 89 trips

TABLE 2 (continued)

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

		TOTAL	Intr a System	Inter System
Lower Mississippi F	tiver			
Downriver	Average, Underway	11.68	11.91	10.53
	Average, with Delays	10.16	10.56	9.17
	Weighted Average, Underway	11.64	11.37	9.57
	Weighted Average, with Delays	9.59	9.37	8.34
Upriv er	Average, Underway	5.61	5.53	5.81
	Average, with Delays	5.08	5.09	5.08
	Weighted Average, Underway	5.39	5.30	5.47
	Weighted Average, with Delays	4.77	4.76	4.78
Total	Average, Underway	8.63	8.54	7.95
	Average, with Delays	7.62	7.76	7.43
	Weighted Average, Underway	7.39	7.07	9.63
	Weighted Average, with Delays	6.38	6.19	6.64

Sample Size = 369 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

		TOTAL	INTRA INTER SYSTEM SYSTEM
Missouri River			
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	9.27 [.] 6.73 9.34 6.09	SAMPLE SIZE TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.00 3.57 3.98 3.53	SAMPLE SIZE TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.55 5.10 5.42 4.38	SAMPLE SIZE TOO SMALL

Sample Size = 31 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	2.112.00	nter Ystem
Monongahela River				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.29 5.30 8.07 5.23	SAMPLE SIZE	TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.15 4.25 5.74 4.10	SAMPLE SIZE	TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.27 4.80 6.88 4.68	SAMPLE SIZE	TOO SMALL

Sample Size = 47 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Rour)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Morgan City to Port	Allen Route			
. Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.68 4.72 5.88 4.13	SAMPLE SI	ZE TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.45 4.64 5.45 4.64	SAMPLE SI	ZE TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.61 4.72 5.85 4.16	SAMPLE SI	ZE TOO SMALL

Sample Size = 18 trips

TABLE 2 (continued)

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Ohio River				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	9.02. 6.04 8.78 4.91	8.26 5.56 7.51 4.67	9.51 6.98 9.78 5.40
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.48 4.39 6.14 3.87	6.25 4.22 5.59 3.71	6.64 4.87 6.84 4.40
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.76 5.22 7.27 4.34	7.19 4.84 6.35 4.10	8.28 6.07 8.30 4.93

Sample Size = 401 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

TABLE 2 (continued)

Tennessee River		TOTAL	INTRA SYSTEM	INTER SYSTEM
. Downriver	Average, Underway	8.86 '	6.40	9.07
	Average, with Delays	5.36	4.42	5.44
	Weighted Average, Underway	7.99	6.40	8.29
	Weighted Average, with Delays	5.17	4.39	5.32
Upriver	Average, Underway	6.19	7.43	5.91
	Average, with Delays	3.74	4.83	3.49
	Weighted Average, Underway	6.53	7.46	6.17
	Weighted Average, with Delays	4.11	4.79	3.85
Total	Average, Underway	7.60	7.08	7.68
	Average, with Delays	4.60	4.70	4.58
	Weighted Average, Underway	7.27	7.05	7.31
	Weighted Average, with Delays	4.64	4.64	4.64

Sample Size = 68 trips

AVERAGE ANNUAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

TABLE 2 (continued)

Upper Mississippi F	Diver	TOTAL	INTR A SYSTEM	INTER SYSTEM
opper mississippi r	TAGE .			
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays		7.34 3.57 6.66 3.31	9.06 4.61 8.51 2.74
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays		6.19 3.84 5.38 3.23	5.82 2.66 4.93 2.18
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays		6.82 3.70 6.04 3.27	7.45 3.64 6.44 2.46

Sample Size = 414 trips

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION
(Miles per Hour)

		TOTAL	Intra System	INTER SYSTEM
Black Warrior-Tombi Fall (Usage 16%)	lgbee River System			
Downriver	Average, Underway	5.05	4.93	
	Average, with Delays	3.72	3.71	
	Weighted Average, Underway	5.12	5.00	
	Weighted Average, with Delays	3.64	3.60	
				SMALL
Upriver	Average, Underway	5.76	5.60	Q
021101	Average, with Delays	4.06	4.12	100
	Weighted Average, Underway	5.67	5.55	
	Weighted Average, with Delays		4.00	SIZE
				Sample
Total	Average, Underway	5.43	5.30	SA
IOCAL	Average, with Delays	3.9Q	3.93	
	Weighted Average, Underway	5.46	5.36	•
	Weighted Average, with Delays		3.80	

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

TABLE 3 (continued)

Black Warrior-Tomb Spring (Usage 37		TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.52 6.34 7.32 6.19	7.79 6.54 7.66 6.53	SMALL
Upriver		5.02 4.27 4.94	4.96 4.24 4.89	SIZE TOO
Total	Weighted Average, with Delays Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.17 5.22 5.76	4.18 6.25 5.28 5.81	SAMPLE

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

BLACK WARRIOR-TOMBI Summer (Usage 434		SYSTEM	TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays	6.67 5.61 6.55 5.46	6.98 5.86 6.96 5.76	TOO SMALL
Upriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays		5.43 4.67 5.38 4.62	SAMPLE SIZE TO
Total	Average, Weighted	Underway with Delays Average, Underway Average, with Delays	6.17 5.22 5.81 4.94	6.17 5.24 · 5.99 5.07	

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

Black Warrior-Tomb: Winter (Usage 4%)		System	<u>TOŤAL</u>	INTRA SYSTEM	Inter System
Downriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays		TOO SMALL	TOO SMALL
Upriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays	5.03 4.18 5.03 4.18	SAMPLE SIZE	SAMPLE SIZE
Total	Average, Weighted	Underway with Delays Average, Underway Average, with Delays	6.61 5.42 6.23 5.14		

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION (Miles per Hour)

		TOTAL	intra System	INTER SYSTEM
Cumberland River Fall	·			
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	9.66 5.82 9.58 5.69	TOO SMALL	SIZE TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.86 5.86 5.86 5.86	SAMPLE SIZE	SAMPLE SIZE
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.76 5.84 8.20 5.73		

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

Cumberland River Spring		TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.51 6.84 8.04 6.06	SMALL	SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.45 4.82 3.61 3.30	SAMPLE SIZE TOO	SAMPLE SIZE TOO
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.76 5.68 4.65 4.05		Ø

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

Cumberland River Summer		TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Dela Average, Underway	7.89 6.46 7.48 sys 5.60	ZE TOO SMALL	ZE TOO SMALL
- -	Average, with Delays Weighted Average, Underway Weighted Average, with Dela	ys 3.70	SAMPLE SIZE	SAMPLE SIZE
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Dela	7.25 5.40 6.39 4.56	•	

TABLE 3 (continued)

Cumberland River Winter		TOTAL	INTRA SYSTEM	Inter System
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.05 7.57 8.05 7.57	SMALL	SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.81 4.61 4.70 4.43	SAMPLE SIZE TOO	SAMPLE SIZE TOO
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.62 5.35 5.23 4.93	u,	oj.

TABLE 3 (continued)

		TOTAL	Intra System	INTER SYSTEM
Gulf Intracoasta	al Waterway - Eastern Portion			
Fall (Usage 3				
	_	c 05	6.44	7.31
Total	Average, Underway	6.85	6.14	5.02
	Average, with Delays	5.61	6.15	6.68
	Weighted Average, Underway	6.33	5.73	4.76
	Weighted Average, with Delays	5.35	5.73	4.70
Spring (Usage	17%)			
-	Indomes.	6.74	6.20	7.59
Total	Average, Underway Average, with Delays	4.95	5.40	4.42
	Weighted Average, Underway	6.29	5.69	8.72
•	Weighted Average, With Delays	3.96	3.96	3.97
	Weighted Average, with beings	3.70		
Summer (Usage	15%)			
Total	Average, Underway	6.83	6.74	6.87
10001	Average, with Delays	5.56	6.10	5.34
	Weighted Average, Underway	6.07	5.59	6.30
	Weighted Average, with Delays	4.36	4.56	4.27
Winter (Usage	32%)			
				_
Total	Average, Underway	5.18	SMALL	SMALL
	Average, with Delays	3.67	₹	₹
	Weighted Average, Underway	5.35	Ŋ	S
	Weighted Average, with Delays	3.48	1 00	100
			SIZE	SIZE
			Sample	Sample
			Æ	Q.
			SA	SA

TABLE 3 (continued)

	TOTAL	Intra System	inter System
Gulf Intracoastal Waterway - Western Portion			
Fall (Usage 24%)			
Total Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.39 6.69 7.35 6.24	7.66 6.10 6.78 5.62	7.67 6.25 7.03 5.95
Spring (Usage 38%)			
Total Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.58 5.75 7.15 5.16	6.82 5.09 6.27 4.61	8.13 6.00 6.86 5.01
Summer (Usage 14%)			
Total Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.52 5.82 5.95 5.05	6.39 5.47 6.41 4.91	6.65 5.70 5.73 4.86
Winter (Usage 24%)		•	
Total Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.92 4.43 6.23 4.57	4.89 4.00 4.46 3.59	8.16 5.19 7.99 5.15

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	Intr a System	INTER SYSTEM
Illinois Rive Fall (Usage				
. Downri	ver Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Del		5.40 3.09 5.47. 3.10	6.41 4.18 6.24 4.08
Uprive	r Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Del		4.87 2.39 4.32 2.32	5.71 4.00 5.57 3.50
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Del		5.10 2.69 4.73 2.59	5.98 4.07 5.80 3.70

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

ILLINOIS RIVER Spring (usage 20%)		TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver	Average, Underway Average, with Delays	5.78 3.51	4.71 2.32	6.97 4.55
	Weighted Average, Underway Weighted Average, with Delays	5.37 3.35	4.48 2.34	6.86 4.47
Upriver	Average, Underway Average, with Delays	4.24	4.29 2.30	4.20 3.24
	Weighted Average, Underway Weighted Average, with Delays	2.80 4.30 2.76	4.18 2.29	4.41 3.17
Total	Average, Underway	5.03	4.29	5.68
	Average, with Delays Weighted Average, Underway Weighted Average, with Delays	3.16 4.76 3.02	2.30 4.18 2.29	3.91 5.27 3.66

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Illinois River Summer (Usage 23%				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.18 3.88 5.81 3.14	5.79 3.07 5.36 2.61	7.01 5.59 6.61 4.45
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.09 3.37 3.85 2.55	4.51 2.36 2.61 1.66	5.84 4.52 5.35 3.68
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.64 3.62 4.60 2.80	5.22 2.76 3.79 2.13	6.29 4.94 5.72 3.91

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Illinois River Winter (Usage 16%)				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.09 2.14 3.51 1.70	2.37 1.66 1.92 1.10	5.09 2.43 4.31 1.94
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.29 2.58 3.45 2.12	4.81 2.29 3.33 1.73	4.57 3.33 4.39 2.95
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.21 2.39 3.48 1.91	3.91 2.05 2.74 1.48	4.78 2.96 4.36 2.45

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER System
Lower Mississippi Fall (Usage 27%)	and the same of th	·		
Downriver	Average, Underway Average, with Delays	10.80 9.70	10.69 9.59	10.74 9.49
	Weighted Average, Underway Weighted Average, with Delays	10.81	10.43	11.07
	weighted Average, with Delays	9.40	9.04	9.59
Upriver	Average, Underway	5.71	5.29	6.05
	Average, with D ela ys Weighted Average, Underway	5.12 5.66	4.67 5.31	5.48 5.94
	Weighted Average, with Delays	4.84	4.53	5.09
Total	Average, Underway	8.23	7,57	8.76
IVEGI	Average, with Delays	7.39	6.75	7.91
	Weighted Average, Underway	7.59	6.76	8.26
	Weighted Average, with Delays	6.54	5.80	7.14

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Lower Mississippi R Spring (Usage 30%		,		
Downriver	Average, Underway	12.62	13.17	11.01
	Average, with Delays	10.49	11.40	8.54
	Weighted Average, Underway		11.74	12.35
	Weighted Average, with Delays	9.85	9.48	9.84
Upriver	Average, Underway	5.92	5.93	5.91
•	Average, with Delays	5.27	5.39	5.13
	Weighted Average, Underway	5.27	5.25	5.31
	Weighted Average, with Delays	4.74	4.78	4.74
Total	Average, Underway	9.27	9.61	8.62
	Average, with Delays	7.88	8.45	6.94
	Weighted Average, Underway	7.39	7.22	7.55
	Weighted Average, with Delays	6.41	6.29	6.48

TABLE 3 (continued)

			TOTAL	Intra System	INTER SYSTEM
Lower Mississippi R Summer (Usage 23%					
Downriver	Average, Weighted	Underway with Delays Average, Underway Average, with Delays	11.37 10.53 11.65 10.57	12.12 11.17 12.21 11.03	10.26 9.42 11.06 10.02
Upriver	Aver age, Weighted	Underway with Delays Average, Underway Average, with Delays	5.43 5.07 5.49 5.00	5.68 5.40 5.63 5.24	5.30 4.84 5.38 4.82
Total	Average, Weighted	Underway with Delays Average, Underway Average, with Delays	8.55 7.94 7.35 6.69	8.96 8.34 7.61 7.02	8.10 7.42 7.14 6.42

TABLE 3 (continued)

	·	TOTAL	INTRA SYSTEM	INTER SYSTEM
Lower Mississippi Winter (Usage 21)				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	12.03 9.74 12.19 8.52	12.11 9.34 12.22 8.19	11.97 10.06 12.17 8.79
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.28 4.79 5.14 4.45	5.41 4.95 5.33 4.67	5.13 4.61 4.88 4.17
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.40 7.08 7.17 5.81	8.37 6.89 7.24 5.84	7.83 6.98 7.11 5.75

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	inter System
Missouri River Fall (Usage 41%)				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.82 5.42 8.94 5.54	TOO SMALL	TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	4.34 3.91 4.12 3.69	SAMPLE SIZE	SAMPLE SIZE
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.58 4.66 5.57 4.39		

TABLE 3 (continued)

Missouri River Spring (Usage 25%)		TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	10.01 7.33 10.64 5.83	TOO SMALL	TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	3.90 3.63 3.88 3.55	SAMPLE SIZE	SAMPLE SIZE 1
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.93 5.48 5.13 4.18		

THE RESERVE THE PROPERTY OF TH

TABLE 3 (continued)

Missouri River		TOTAL	INTRA SYSTEM	INTER SYSTEM
Summer (Usage 35%)		•		
Downriver	Average, Underway Average, with Delays Weighted Average, Underweighted Average, with Average, Underway Average, with Delays Weighted Average, Underweighted Average, with	3.88 3.30 way 3.99	SAMPLE SIZE TOO SMALL	SAMPLE SIZE TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with		SA	SA

Winter (There were no winter observations on the Missouri River)

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Ohio River Fall (Usage 25%)		•		
Downriver	Average, Underway	7.96	7.35	8.51
	Average, with Delays	3.78	3.79	3.77
	Weighted Average, Underway	7.25	7.01	7.59
	Weighted Average, with Delays	3.23	3.42	3.02
Upriver	Average, Underway	6.71	6.78	6.52
	Average, with Delays	3.25	3.28	3.17
	Weighted Average, Underway	6.30	6.15	6.85
	Weighted Average, with Delays	2.89	2.89	2.88
Total	Average, Underway	7.32	6.99	7.84
	Average, with Delays	3.51	3.47	3.57
	Weighted Average, Underway	6.76	6.50	7.33
	Weighted Average, with Delays	3.06	3.10	2.97

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Ohio River Spring (Usage 349	s)			
Downriver	Average, Underway	9.63	9.23	10.92
	Average, with Delays	7.49	6.84	9.30
	Weighted Average, Underway	9.79	9.38	12.10
	Weighted Average, with Delays	7.39	6.81	9.92
Upriver	Average, Underway	6.43	6.12	7.39
	Average, with Delays	5.20	4.95	5.96
	Weighted Average, Underway	6.05	5.73	7.68
	Weighted Average, with Delays	4.69	4.40	6.22
Total	Average, Underway	8.06	7.62	9.42
	Average, with Delays	6.37	5.86	7.88
	Weighted Average, Underway	7.53	7.03	9.90
	Weighted Average, with Delays	5.77	5.29	8.07

TABLE 3 (continued)

Ohio River Summer (Usage 27%)		TOTAL .	intr a S <u>ystem</u>	INTER SYSTEM
Downriver	Average, Underway	9.38	8.80	10.15
	Average, with Delays	6.51	6.03	7.17
	Weighted Average, Underway	9.26	8.47	10.26
	Weighted Average, with Delays	5.95	5.42	6.61
Upriver	Average, Underway	6.48	6.92	5.81
	Average, with Delays	4.72	4.85	4.54
	Weighted Average, Underway	6.32	6.53	5.95
	Weighted Average, with Delays	4.43	4.59	4.14
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.94 5.63 7.59 5.12	7.85 5.43 7.30 4.94	8.07 5.91 8.02

TABLE 3 (continued)

		TOTAL.	INTRA SYSTEM	INTER SYSTEM
Ohio River Winter (Usage 14	· >)			
Downriver	Average, Underway Average, with Delays	8.97 6.22	7.97 4.29	9.57 7.39
	Weighted Average, Underway	8.98	8.35	9.36
	Weighted Average, with Delays	4.04	3.32	4.47
Upriver	Average, Underway	6.14	6.62	5.85`
•	Average, with Delays	4.30	3.75	4.63
	Weighted Average, Underway	5.77	6.20	5.51
	Weighted Average, with Delays	3.63	3.14	3.93
Total	Average, Underway	7.65	6.62	8.27
Iotal	Average, with Delays	5.32	3.75	6.27
	Weighted Average, Underway	7.12	6.20	7.68
	Weighted Average, with Delays	3.89	3.14	4.34

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	Inter System
Tennessee Rive	<u>.</u>			
Downriv	er Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.14 5.56 6.22 4.48	TOO SMALL	TOO SMALL
Uprive	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.41 3.63 5.70 3.51	SAMPLE SIZE 7	SAMPLE SIZE
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.09 4.81 6.03 4.14		

TABLE 3 (continued)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Tennessee River Spring				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.61	TOO SMALL	TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.56 4.86 8.00 5.21	SAMPLE SIZE	SAMPLE SIZE
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	8.74 5.16 8.25 5.37	•	

TABLE 3 (continued)

	•	TOTAL	Intra System	INTER SYSTEM
Tennessee River Summer				
Downriver Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delay Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delay	5.39 2.61 5.49	SAMPLE SIZE TOO SMALL	SAMPLE SIZE TOO SMALL
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delay	6.74 3.94 6.95	0 1	o,

TABLE 3 (continued)

		TOTAL	Intra System	INTER SYSTEM
Tennessee River Winter		٠		
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	9.83 5.49 9.27 5.27	TOO SMALL	TOO SMALL
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	5.95 3.83 6.27 4.08	SAMPLE SIZE	SAMPLE SIZE
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.89 4.66 7.58 4.64		

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Upper Mississipp Fall (Usage 32		•		
Downriver	Average, Underway	7.95	7.64	8.34
	Average, with Delays	4.37	4.23	4.53
	Weighted Average, Underway	7.76	7.62.	8.09
	Weighted Average, with Delays	4.24	4.20	4.31
Upriver	Average, Underway	6.61	6.74	6.38
-	Average, with Delays	3.94	4.08	3.69
	Weighted Average, Underway	5.97	5.92	5,17
• • •	Weighted Average, with Delays	3.48	3.49	3.42
Total	Average, Underway	7.26	7.14	7.42
10041	Average, with Delays	4.14	4.15	4.13
	Weighted Average, Underway	6.68		6.88
	Weighted Average, with Delays	3.84	3.80	3.99
	meralines in eradel aren perale	2.04	3.00	3.33

TABLE 3 (continued)

AVERAGE SEASONAL TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	intra System	Inter System
Upper Mississip Spring (Usage				
Downriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.95 4.37 7.76 4.24	7.64 4.23 7.62 4.20	8.34 4.53 8.09 4.31
Upriver	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	6.61 3.94 5.97 3.48	6.74 4.08 4.92 3.49	6.38 3.69 5.17 3.42
Total	Average, Underway Average, with Delays Weighted Average, Underway Weighted Average, with Delays	7.26 4.14 6.68 3.84		4.13

TABLE 3 (continued)

	·	TOTAL	Intra System	Inter System
Upper Mississip Summer (Usage	-			
Downriver	Average, Underway	9.00	8.33	10.08
	Average, with Delays	4.73	3.84	6.19
	Weighted Average, Under		8.07	8.81
	Weighted Average, with	Delays 3.78	3.68	4.18
Upriver	Average, Underway	5.83	6.04	5.33
•	Average, with Delays	3.30	3.41	3.03
	Weighted Average, Under	way 5.60	5.73	5.04
	Weighted Average, with	<u> </u>	3.14	2.95
Total	luerage Underway	7 20	7.04	7.00
TOTAL	Average, Underway	7.30	7.04	7.82
	Average, with Delays	3.96	3.60	4.68
	Weighted Average, Under		6.59	6.61
	Weighted Average, with	Delays 3.40	3.37	3.53

TABLE 3 (continued)

		TOTAL	Intra System	inter System
Upper Mississip Winter (Usage	=	•		
Downriver	Average, Underway Average, with Delays	6.32 2.05	5.62 2.17	6.25 2.07
	Weighted Average, Underway Weighted Average, with Delays	4.36 0.94	3.89 1.03	7.63 0.88
Upriver	Average, Underway	5.39	5.42	5.38
	Average, with Delays Weighted Average, Underway Weighted Average, with Delays	2.14 4.22 1.29	3.82 5.05 2.18	1.45 3.85 1.04
Total	Average, Underway	5.91	5.57	5.76
	Average, with Delays Weighted Average, Underway Weighted Average, with Delays	2.09 4.31 1.06	2.60 4.18 1.22	1.72 5.13 0.95

TABLE 4
STANDARD DEVIATIONS OF TOW SPEEDS (miles per hour)

	UNDE	RWAY	WITH I	
TATEDLIAV	UP	DOWN	<u>UP</u>	DOMN
WATERWAY ARKANSAS RIVER	4.54	1.83	1.75	0.84
BLACK WARRIOR-TOMBIGBEE	0.78	1.60	0.66	1.47
CUMBERLAND RIVER	2.75	1.41	2.09	1.72
GULF INTRACOASTAL WATERWAY				
EASTERN PORTION	2.2	29	2.	
WESTERN PORTION	3.2	28	2.	55
ILLINOIS RIVER	2.56	1.95	1.42	1.68
LOWER MISSISSIPPI RIVER	2.28	3.16	2.23	3.21
MISSOURI RIVER	0.77	1.59	0.83	2.63
OHIO RIVER	2.34	2.82	2.06	2.92
PORT ALLEN ROUTE	1.	73	1	.66
TENNESSEE RIVER	1.98	3.37	1.56	2.32
UPPER MISSISSIPPI RIVER	2.71	3.39	1.59	3.02

A CONTRACTOR OF THE PROPERTY O

100

TABLE 5

MEDIAN TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

Arkansas River		TOTAL	INTRA SYSTEM	INTER SYSTEM
Downriver	Underway	5.93		
	With Delays	4.38	TOO SMALL	SAMPLE SIZE TOO SMALL
Upriver	Underway	6.62	. 100	T 100
	With Delays	5.56	SIZE	SIZE
			Sample	MPLE
Total	Underway	6.17	SA	SA
	With Delays	4.98		
Black Warrior-Tombig	bee River System			
Downriver	Underway	6.98	7.14	4.93
	With Delays	5,87	6.04	4.10
Upriver	Underway	5.40	5.39	5.69
	With Delays	4.52	4.54	4.41
Total	Underway	5.76	5.82	4.99
	With Delays	4.79	4.91	4.30

TABLE 5 (continued)

MEDIAN TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Cumberland River		•		
Downriver	Underway	8.39	7.60	8.42
	With Delays	6.67	6.80	6.80
		•		
Upriver	Underway	5.44	4.31	5.54
	With Delays	4.61	3.95	5.05
Total	Underway	6.74	6.85	. 6.53
	With Delays	5.57	6.03	5.56
Gulf Intracoastal We	aterway - Eastern Portion			
	Underway	6.21	5.52	6.70
	With Delays	4.49	4.50	4.46
Gulf Intracoastal W	aterway - Western Portion			
	Underway	6.73	6.29	7.47
	With Delays	5.26	4.85	5.27

TABLE 5 (continued)

MEDIAN TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

Illino	ois River		TOTAL	INTRA SYSTEM	INTER System
	Downriver	Underway	5.58	5.32	6.30
		With Delays	3.23	2.34	3.74
	Upriver	Underway	4.19	3.87	4.99
		With Delays	2.59	2.24	3.58
	Total	Underway	4.87	4.18	5.52
•		With Delays	2.76	2.25	3.67
Lower	Mississippi Ri				
	Downrives	Underway	11.87	12.35	10.86
		With Delays	10.43	10.68	9.71
	Upriver	Underway	5.50	5.60	5.12
. •		With Delays	4.70	5.11	4.60
		•			
	Total	Underway	7.05	6.54	7.55
		With Delays	6.18	6.14	6.18

TABLE 5 (continued)

MEDIAN TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	Intra System	INTER SYSTEM
Missouri River				
Downriver	Underway	9.68	H	4
	With Delays	6.49	roo smal	POO SMAI
Upriver	Underway	3.89	IZE 1	IZE
	with Delays	3.54	SAMPLE SIZE TOO SMALL	SAMPLE SIZE TOO SMALL
Total	Underway	5.78	G1	o,
	With Delays	4.29		
Ohio River				•
Downriver	Underway	8.97	12.08	10.03
	With Delays	5.91	8.42	6.52
Upriver	Underw ay	6.38	6.14	6.84
	With Delays	5.63	4.17	5.76
	at . 1 . m. ac .	7.48	7.26	8.11
Total	Underway With Delays	4.93	4.65	5.76

TABLE 5 (continued)

MEDIAN TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Pour)

Port .	Allen Route		TOTAL	INTRA SYSTEM	INTER SYSTEM
	Downriver	Underway	6.50	_	
		With Delays	4.48		
	Upriver	Underway	5.45		
		With Delays	4.64	MALL	MALL
	Total	Underw ay	6.45	SIZE TOO SMALL	SIZE TOO SMALL
• •		With Delays	4.56	e sizi	e sizi
Tenne	ssee River			Sample	SAMPLE
	Downriver	Underway	7.99	Ø	Š
		With Delays	5.15		
	Upr iver	Underway	5.92		
	Opriver	_			
	•	With Delays	3.89		
	Total	Underway	7.09		
		With Delays	4.74		

The state of the s

TABLE 5 (continued)

MEDIAN TOW SPEEDS BY WATERWAY, TYPE AND DIRECTION

(Miles per Hour)

		TOTAL	Intr a System	inter System			
Upper Mississippi River							
Downriver	Underway	8.49	7.89	9.31			
	With Delays	3.81	3.84	6.84			
Upriver	Underway	5.72	5.92	5.29			
	With Delays	3.31	3.56	2.38			
Total	Underway	6.65	6.65	6.55			
	With Delays	3,48	3.64	2.74			

TABLE 6

AVERAGE NUMBER OF BARGES PER TOW

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Alleg	neny River Downriver	8.31	د	د.
	Upriver	9.92	SMALL	SMAL
	Total	9.14	100	2
	·		SIZE	SIZE TOO SMALL
Arkans	Downriver	3.78	Sample	SAMPLE
	Upriver	3.56	SAN	SA
	Total	3.60		
Black	Warrior-Tombigbee River System			
	Downriver	4.31	4.07	6.00
	Upriver	4.27	4.00	6.00
	Total	4.29	4.03	6.00
Cumber	rland River			
	Downriver	9.06	7.75	8.93
	Upriver	8.75	7.00	9.06
	Total	8.89	7.43	9.00

TABLE 6 (continued)

AVERAGE NUMBER OF BARGES PER TOW

		TOTAL	INTRA SYSTEM	INTER SYSTEM	
	ntracoastal Waterway - Eastern Portion Orleans to Pensacola)	2.84	2.19	3.70	
	ntracoastal Waterway - Western Portion Ston to New Orleans)	2.99	2.53	3.90	
Illinoi	s River				
	Downriver	10.71	11.09	10.29	
	Upriver	11.03	11.30	9.77	
	Total	10.88	11.20	9.99	
Illinois Waterway System North of Lockport, IL (including Calumet-Saginaw, Chicago Sanitary and Ship Canal and Chicago River) Downriver 8.31 SAMPLE SIZE TOO SMALL					
	Upriver	9.92			
	Total	9.14			

TABLE 6 (continued)

AVERAGE NUMBER OF BARGES PER TOW

		TOTAL	Intra System	Inter System
Lower	Mississippi River			
	Downriver	10.15	10.08	9.12
	Upriver	11.48	10.37	12.50
	Total	10.82	10.23	10.56
Missoy	uri River			•
	Downriver	4.67	SAMPLE SI	ZE TOO SMALL
	Upriver	4.88		
	Total	4.77		
Monong	gahela River	•		
	Downriver	12.25	SAMPLE SI	ZE TOO SMALL
	Upriver	11.32	•	
	Total	11.80		
Morgan	City to Port Allen Route	·		•
	Downriver	4.18	SAMPLE SI	ZE TOO SMALL
•	Upriver	4.00		
	Total	4.17		

TABLE 6 (continued)

AVERAGE NUMBER OF BARGES PER TOW

	TOTAL	Intra System	Inter System
Ohio River			
Downriver	9.90	11.52	7.78
Upriver	11.07	12.04	9.06
Total	10.48	11.80	8.29
Tennessee River			
Downriver	9.64	12.67	9.36
Upriver	11.84	10.33	12.19
Total	11.90	11.11	10.61
Upper Mississippi River			•
Downriver	10.93	10.30	11.32
Upriver	11.62	11.16	12.20
Total	11.28	10.69	11.75

TABLE 7

AVERAGE NUMBER OF BARGES PER TOW (by seasons of the year)

Black Warrior-Tombigbee River System Fall (Usage 16%)	TOTAL	INTRA SYSTEM	inter System
Downriver	3.38	3.40	
Upriver	4.00	3.67	
Total	3.92	3.55	_
Spring (Usage 37%)			SMALL
Downriver	4.18	4.00	100
Upriver	4.31	4.17	Size 1
Total	4.25	4.09	
Summer (Usage 43%)			SAMPLE
Downriver	4.64	4.42	V-
Upriver	4.44	4.08	
Total	4.25	4.24	
Winter (Usage 4%)			
Downriver	4.00	SAMPLE	SIZE TOO SMALL
Upriver	3.00		
Total	3.50		

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by seasons of the year)

-		TOTAL	INTRA SYSTEM	INTER SYSTEM
Cumberl Fall	and River		•	
	Downriver	2.50		
	Upriver	10.50		
	Total	6.50		
Spri	ng			
	Downriver	7.33	i i	H
	Upriver	6.25	TOO SMALL	TOO SMALL
	Total	6.71	100	
Sum	ner		SIZE	SIZE
	Downriver	11.88	Sample	Sample
	Upriver	10.86	SA	. 20
	Total	11.40		
Win	ter			
	Downriver	10.00	•	
•	Upriver	9.33		
• •	Total	9.50		

The second secon

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by seasons of the year)

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Gulf Intracoastal Waterway - East Fall (Usage 36%)	tern Portion			•
Total		2.94	2.00	4.00
Spring (Usage 17%)				
Total		3.33	2.00	4.86
Summer (Usage 15%)	•		•	•
Total	· .	3.06	3.60	2.83
Winter (Usage 32%)				
Total		1.93	SAMPLE SI	ZE TOO SMALL
Gulf Intracoastal Waterway - West Fall (Usage 24%)	ern Portion		•	
Total		3.07	2.57	3.83
Spring (Usage 38%)				
Total		3.04	2.63	4.33
Summer (Usage 14%)				
Total		2.54	2.09	3.33
Winter (Usage 24%)				
Total		3.08	2.59 .	3.88

The second secon

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by seasons of the year)

	• •	-		
		TOTA	INTRA L SYSTEM	Inter System
Illinois Riv	ver_		•	
Fall (Usac Down	ge 41%) priver	10.76	11.80	9.20
Upri	.ver	11.35	11.55	10.25
Tota	4	11.09	11.66	9.85
Spring (Us	sage 20%)			
Down	nriver	11.40	12.50	12.33
Upri	ver	12.68	11.39	10.92
Tota	11	12.03	2 11.39	11.63
Summer (U	sage 23%)			
Dowi	nriver	13.5	9 13.80	13.14
Upri	iver	12.0	4 12.84	11.00
Tota	11	12.8	2 13.37	11.83
Winter (U	sage 16%)			
Down	nriver	6.5	8 5.00	7.50
Upr:	iver	8.5	8 8.33	7.71
Tota	al '	. 7.7	3 7.10	7.62

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by seasons of the year)

Lower Mississippi River Fall (Usage 27%)	TOTAL	INTRA SYSTEM	INTER System
Downriver	11.43	10.82	11.00
Upriver	11.68	10.27	13.27
Total	11.56	10.50	11.94
Spring (Usage 30%)			
Downriver	11.98	12.00	10.89
Upriver	12.29	12.78	11.75
Total	12.14	12.38	11.29
Summer (Usage 23%)			
Downriver	8.34	6.77	9.00
Upriver	8.34	7.72	14.79
Total	9.78	7.24	11.53
Winter (Usage 21%)			•
Downriver	8.22	11.13	5.14
Upriver	10.17	10.89	9.35
Total	9.27	11.00	7.02

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by seasons of the year)

	TOTAL	INTRA SYSTEM	INTER SYSTEM
Missouri River Fall (Usage 41%)			
Downriver	5.60		
Upriver	5.40		
Total	5.50		
Spring (Usage 25%)		SMALL	TOO SMALL
Downriver	2.00	8	92
Upriver	4.25	SIZE	SIZE
Total	3.50	Sample	SAMPLE SIZE
Summer (Usage 35%)		SAF	SA
Downriver	4.75		
Upriver	4.86		•
Total	4.80		

Winter (There were no winter observations on the Missouri River)

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by season of the year)

		TOTAL	Intra System	Inter System
Ohio R	iver (Usage 25%)			
				•
	Downriver	10.55	12.92	8.43
	Upriver	11.20	11.63	9.93
	Total	10.88	12.12	8.93
Spri	ng (Usage 34%)			
			•	•
	Downriver	11.69	13.25	10.92
	Upriver	11.82	12.28	10.43
	Total	11.76	12.75	9.27
Summe	er (Usage 27%)			
•	•			
٠,	Downriver	8.66	9.47	7.56
·	Upriver	10.64	12.43	• 7.91
	Total	9.64	10.97	7.73
Winte	er (Usage 14%)			•
	Downriver	7.81	9.61	5.57
			3.01	3.3/
.:	Upriver	10.18	10.63	7.82
	Total	8.92	10.63	6.56

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by season of the year)

		• •			
Tennes Fall	ssee River		TOTAL	INTRA SYSTEM	INTER SYSTEM
	Downriver		8.12		
	Upriver		11.60		
	Total		9.46		
Spri	ing		,		
	Downriver	•	10.44	. 7	.و.
	Upriver		11.80	SMALL	SMALI
	Total		11.16	100	6
Sum	ner			SIZE	SAMPLE SIZE TOO SMALL
	Downriver		10.08	Sample	MPLE
	Upriver		12.70	SAN	SAI
	Total		11.27		•
Win	ter				
	Downriver		9.57	•	
j.	Upriver		10.86		
• •	Total	•	10.21		

TABLE 7 (continued)

AVERAGE NUMBER OF BARGES PER TOW (by season of the year)

	/m/			
		TOTAL	Intra System	Inter System
Upper Mississippi River Fall (Usage 32%)			,	
Downriver		12.57	12.32	12.88
Upriver		11.57	9.87	14.50
Total		12.05	10.97	13.64
Spring (Usage 27%)			•	•
Downriver		10.71	9.61	12.32
Upriver	•	11.51	11.50	11.52
Total		11.13	10.62	11.93
Summer (Usage 37%)				
Downriver		11.22	10.64	12.18
Upriver		12.46	11.81	14.00
Total		11.89	11.30	13.05
Winter (Usage 4%)				
Downriver		8.48	8.76	7.65
Upriver	,	10.10	12.67	9.04
Total	·	9.18	9.79	8.44

TABLE 7
PERCENT BACKHAUL EMPTY

·		TOTAL	INTRA SYSTEM	INTER SYSTEM
Allegh	eny River	,		
	Downriver	92		
	Upriver	90		
	Total	91	SMALL	SIZE TOO SMALL
	Pinner.		100	8
Arkans	as River		SIZE	2E
	Downriver	67	SI	SI
	Upriver	100	SAMPLE	SAMPLE
	Total	89	IS	Ś
Black	Warrior-Tombigbee River System			
•	Downriver	55	67	0
	Upriver	43	6.	100
•	Total	49	35	100
Cumber	land River	·		
	Downriver	100	100	100
	Upriver	17	10	18
	Total	89	100	87

TABLE 7 (continued)

PERCENT BACKHAUL EMPTY

	TOTAL	INTRA SYSTEM	Inter System
Gulf Intracoastal Waterway - Eastern Portion (New Orleans to Pensacola)	100	100	98
Gulf Intracoastal Waterway - Western Portion (Houston to New Orleans)	100	87	100
Illinois River Downriver	87	100	29
Upriver	53	35	71
Total	69	81	53
Illinois Waterway System North of Lockport, IL (including Calumet-Saginaw, Chicago Sanitary and	Ship Canal an	d Chicago I	River)
Downriver	100	SAMPLE S	SIZE TOO SMALL
Upriver	28		
Total	- 68	•	

TABLE 7 (continued)

PERCENT BACKHAUL EMPTY

	TOTAL	INTRA SYSTEM	INTER SYSTEM
Lower Mississippi River			
Downriver	66	75	66
Upriver	73	54	94
Total	70	64	80
Missouri River			
Downriver	23		
Upriver	72		
Total	49		
Monongahela River		VEL	ALL
Downriver	100	TOO SMALL	WS C
Upriver	18	ğ	SIZE TOO SMALL
Total	77	SIZE	
Morgan City to Port Allen Route		SAMPLE	Sample
Downriver	100	•	•
Upriver	100		
Total	100		

TABLE 7 (continued)

PERCENT BACKHAUL EMPTY

		TOTAL	INTRA SYSTEM	INTER SYSTEM
Ohio R	iver			
	Downriver	82	77 ·	93
	Upriver	69	66	72
	Totai	75	71	83
Tennes	see River	•		
	Downriver	100	100	100
	Upriver	23	32	21
	Total	81	67	84
Upper	Mississippi River			
	Downriver	28	18	41
	Upriver	100	84	100
	Total	65	49	72

The same of the sa

PERCENT BACKHAUL EMPTY BY SEASON

TABLE 8

Black '	Warrior-Tombigbee River System	TOTAL	INTRA SYSTEM	INTER SYSTEM
	(Usage 16%)			
	Downriver	17	24	
	Upriver	64	27	
	Total	43	26	
Spri	ng (Usage 37%)			ALL
	Downriver	70	80	WS C
	Upriver	21.	0	SIZE TOO SMALL
	Total	43	36	S 121
Summe	er (Usage 43%)			SAMPLE
	Downriver	62	75	••
	Upriver	54	4 .	
	Total	62	40	
Winte	er (Usage /~)			
	Downriver	0	SAMPLE	SIZE TOO SMALI
	Upriver	0		
•	Total	0		

The state of the s

TABLE 8 (continued)

Cumberl Fall	and River	•	TOTAL	INTRA SYSTEM	INTER SYSTEM
	Downriver		o		
	Upriver		o d		
	Total		. 0		
Sprin	ng Downriver		100	SMALL	HALL
	Upriver		36	100	SIZE TOO SMALL
	Total		96	SIZE	SIZE
Summe	er ·			Sample	SAMPLE
	Downriver		100	"	Ø
	Upriver		8		
	Total		99		
Wint	er		•		
	Downriver		100	•	
	Upriver		21		
. •	Total	•	63		

TABLE 8 (continued)

	TOTAL	INTRA SYSTEM	INTER SYSTEM	
Gulf Intracoastal Waterway - Eastern Portion Fall (Usage 36%)	100	100	100	
	,	•		
Spring (Usage 17%)	100	100	88	
•				
•				
Summer (Usage 15%)	100	100	94	
Winter (Usage 32%)	100	SAMPLE	SIZE TOO SMALL	

TABLE 8 (continued)

Gulf Intracoastal Waterway - Western Portion	TOTAL	INTRA SYSTEM	INTER SYSTEM
Fall (Usage 24%)	100	56	100
	•		
•			
Spring (Usage 38%)	100	100	. 100
Summer (Usage 14%)	100	100	100
Winter (Usage 24%)	100	77	100

TABLE 8 (continued)

	TOTAL	INTRA SYSTEM	INTER SYSTEM
Illinois River Fall (Usage 41%)			
Downriver	100	100	33
Upriver	3 ⁹	19	68
Total	78	88	55
Spring (Usage 20%)			
Downriver	56	22	23
Upriver	32	60	37
Total	43	60	29
Summer (23%)			
Downriver	95	100	24
Upriver	72	51 *	94
Total	84	94	. 64
Winter (Usage 6%)	·		
Downriver	37	· 29	• 40
Upriver	75	56	78
Total	61	56	62

TABLE 8 (continued)

Lower Mississippi River Fall (Usage 27%)	TOTAL	Intra System	INTER SYSTEM
Downriver	57	49	65
Upriver	83	68	100
Total	70	60	84
Spring (Usage 30%)		•	
Downriver	70	85	44
Upriver	75	48	100
Total	. 69	66	75
Summer (Usage 23%)			
Downriver	73	93	64
Upriver	79	34	100
Total	76	62 .	85
Winter (Usage 21%)			
Downriver	82	63	100
Upriver	46	61	28
Total .	61	39	61

TABLE 8 (continued)

	TOTAL	Intra System	Inter System
Ohio River Fall (Usage 25%)		•	
Downriver	75	76	74
Upriver	72	57	100
Total	73	65	91
Spring (Usage 34%)			
Downriver	90	88	100
Upriver	77	75	88
Total	84	81	94
Summer (Usage 27%)			
Downriver	76	61	100
Upriver	70	75	57
Total	73	69	. 80
Winter (Usage 14%)			
Downriver	88	[.] 74	100
Upriver	43	67	28
Total	64	61	68

TABLE 8 (continued)

			TOTAL	Intra System	INTER SYSTEM
Tenness	see River				
Fall					
	Downriver		100		
	Upriver		14		
	Total		93	. •	
Spri	ng	•			•
Spt #.	•				
	Downriver		100		
	Upriver		17		
	Total		66		
Summe	er `				
	Downriver		100		
-	Upriver		14		
	Total		86		
Wint	er				
	Downriver		100		•
.;	Upriver		53		
•	Total	•	85		

TABLE 8 (continued)

	*.	TOTAL	INTRA SYSTEM	Inter System
Upper Mississippi River				
Fall (Usage 32%)				
Downriver		32	22	43
Upriver		94 ·	85	100
Total		63	53	73
Spring (Usage 27%)				
Downriver		21	16	25
Upriver		100	100	98
Total		65	69	59
Summer (Usage 37%)				
Downriver		31	14	55
Upriver		100	100	100
Total		78	72	88
Winter (Usage 4%)				
Downriver		25	21 .	45
Upriver		61	40	. 73
Total	•	42	28 [.]	62

TABLE 9


AVERAGE TRANSIT TIME FOR EACH LOCK TRAVERSED BY WATERWAY


WATERWAY	TRANSIT TIME (HOURS)
ARKANSAS RIVER	.68
BLACK WARRIOR-TOMBIGBEE	.75
CUMBERLAND	.75
GULF INTRACOASTAL WATERWAY, EASTERN PORTION	7.58
GULF INTRACOASTAL WATERWAY, WESTERN PORTION	1.60
ILLINOIS RIVER	4.86
OHIO RIVER	2.81
PORT ALLEN ROUTE	1.02
TENNESSEE RIVER	3.36
UPPER MISSISSIPPI RIVER	3.20

TABLE 10

AVERAGE TRANSIT TIME FOR EACH LOCK TRAVERSED BY WATERWAY AND SEASON

WATERWAY	TRANSIT TIME (HOURS)
BLACK WARRIOR-TOMBIGBEE RIVER SYSTEM	
FALL	1.17
SPRING	0.65
SUMMER	0.68
WINTER	0.31
GULF INTRACOASTAL WATERWAY/WESTERN PORTION	·
FALL	1.15
SPRING	1.23
SUMMER	0.86
WINTER	2.21
ILLINOIS RIVER	
FALL	4.90
SPRING	4.75
SUMMER	5.51
WINTER	2.38
OHIO RIVER	
FALL	6.32
SPRING	1.14
SUMMER	2.27
winter _.	2.56
UPPER MISSISSIPPI RIVER	
FALL	2.13
SPRING	2.72
SUMMER	2.80
WINTER	9.37





MICROCOPY RESOLUTION TEST CHART
MATIONAL BUREAU OF STANDARDS-1963-A

TABLE 11

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

	DOWNRIVER		UPRIVE	R	вотн		
	PROBABILITY OF	MEAN DELAY	PROBABILITY OF	Mean Delay	PROBABILITY OF	MEAN DELAY	
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS	
ARKANSAS RIVER						•	
WEATHER	.22	3.12	. 22	7.25	. 22	5.19	
FOG	.33	12.36	. 33	2.36	. 33	7.36	
LOCKING	1.00	12.34	1.00	6.91	1.00	9.62	
REPAIRS	.11	2.00	. 33	0.61	.22	0.96	
ICE	. 33	6.50	.11	12.75	.22	8.06	
CREW CHANGE							
SUPPLIES			.11	0.75	.11	0.75	
CHANNEL DELAY	.56	8.40 .	.78	1.14	.67	4.16	
AWAITING ORDERS							
VESSEL ASSISTING			.11	0.92	.11	0.92	
AWAITING BERTH							
BRIDGE WAIT	. 56	1:55	.33	0.69	.44	1.23	
FLEETING	.11	1.67	. 56	2.05	.33	1.99	
BLACK WARRIOR-TOME	SIGBEE RIVER S	SYSTEM					
WEATHER	. 03	0.50	.03	3.25	.03	1.88	
FOG	. 42	5.62	.38	8.84	. 39	7.29	
LOCKING	.97	5.83	1.00	6.15	.99	6.00	
REPAIRS	. 25	6.86	.27	7.24	. 27 .	7.07	
ICE							
CREW CHANGE			.03	0.42	.01	0.42	
SUPPLIES	~~~~						
CHANNEL DELAY	.16	1.78	.14	1.52	. 14	1.65	
AWAITING ORDERS	***		***				
VESSEL ASSISTING							
AWAITING BERTH				~			
	-	_					
BRIDGE WAIT FLEETING	.03	8.50 1.85	.81	4.28	.01 .71	8.50 3.34	

TABLE 11 (continued)

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

	DOWNRI	VER	UPRIVE	UPRIVER		BOTH	
	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	
CUMBERLAND RIVER							
WEATHER			***			***	
FOG	. 35	6.71	.20	2.56	.27	4.72	
LOCKING	. 94	1.93	.75	2.68	.84	2.29	
REPAIRS	.06	0.50	.10	0.29	.08	0.36	
ICE							
CREW CHANGE	. 06	0.25	.10	0.66	.08	0.53	
SUPPLIES	. 06	2.00	.15	1.78	.11	1.84	
CHANNEL DELAY			.05	0.33	.03	0.33	
AWAITING ORDERS	. 06	0.25	****		.03	0.25	
VESSEL ASSISTING			.15	0.86	.08	0.86	
AWAITING BERTH			****				
BRIDGE WAIT							
FLEETING	. 53	2.71	.55	2.56	. 54	2.63	

TABLE 11 (continued)

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)
GULF INTRACOASTAL V	NATERWAY, EASTERN	PORTION
WEATHER	.14	12.05
FOG	.08	12.06
LOCKING	.42	7.58
REPAIRS	.08	2.22
ICE		
CREW CHANGE	.03	0.50
SUPPLIES	.03	0.67
CHANNEL DELAY	.06	1.66
AWAITING ORDERS		
vessel assisting	. 08	11.11
AWAITING BERTH	.06	1.96
BRIDGE WAIT		
FLEETING	. 28	3.21
GULF INTRACOASTAL W	VATERWAY, WESTERN	PORTION
WEATHER	. 09	7.21
FOG	. 22	5.84
LOCKING	.69	7.63
REPAIRS	.12	5.01
ICE		
CREW CHANGE	.03	1.50
SUPPLIES	. 15	2.06
CHANNEL DELAY	. 27	3.44
AWAITING ORDERS	. 03	1.12
VESSEL ASSISTING	. 09	1.60
AWAITING BERTH	. 07	12.16
BRIDGE WAIT	.11	4.69
FLEETING	. 26	2.49

The second second

TABLE 11 (continued)

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

	DOWNRIVER		UPRIVER		BOTH	
	PROBABILITY		PROBABILITY	MEAN	PROBABILITY	MEAN
	OF	DELAY	OF	DELAY	OF	DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS
ILLINOIS RIVER						
WEATHER	.15	5.76	. 04	7.42	.09	6.15
FOG	.14	4.46	.13	4.10	.14	4.28
LOCKING	.80	13.45	.81	16.94	.81	15.33
REPAIRS	.15	2.49	.11	5.96	.13	4.08
ICE	.13	25.51	.10	14.10	.11	20.08
CREW CHANGE .	.03	0.89	.02	1.46	. 03	1.12
SUPPLIES	. 02	6.25	.12	1.62	. 08	2.28
CHANNEL DELAY	. 29	2.92	.70	3.03	.51	. 3.00
AWAITING ORDERS	.03	43.92	.01	2.00	.02	33.44
VESSEL ASSISTING	. 23	6.34	.20	5.89	.22	6.11
AWAITING BERTH	.01	0.67			.01	0.67
BRIDGE WAIT	.19	1.29	. 07	2.58	.13	1.68
FLEETING	.74	8.22	. 56	6.25	. 65	7.31
LOWER MISSISSIPPI	RIVER					
WEATHER	. 07	4.53	.04	5.95	. 05	5.06
FOG ·	. 26	9.22	.22	7.53	. 24	8.44
LOCKING						
REPAIRS	. 08	5.96	.16	6.59	.12	6.38
ICE						
CREW CHANGE	. 04	1.08	.04	1.55	. 04	1.33
SUPPLIES	1 /	2 20	.18	2.27	.17	2.32
-	.16	2.38				
CHANNEL DELAY	.11	1.54	. 62	4.52	. 37	4.08
CHANNEL DELAY AWAITING ORDERS	.11 .01	1.54 0.25	.62 .01	4.09	.01	2.17
CHANNEL DELAY AWAITING ORDERS VESSEL ASSISTING	.11 .01 .20	1.54 0.25 2.28	.62 .01 .20	4.09 3.55	.01 .20	2.17 2.93
CHANNEL DELAY AWAITING ORDERS VESSEL ASSISTING AWAITING BERTH	.11 .01 .20 .02	1.54 0.25 2.28 3.84	.62 .01 .20 .01	4.09 3.55 1.00	.01 .20 .01	2.17 2.93 3.27
CHANNEL DELAY AWAITING ORDERS VESSEL ASSISTING	.11 .01 .20	1.54 0.25 2.28	.62 .01 .20	4.09 3.55	.01 .20	2.17 2.93

TABLE 11 (continued)

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

DOWNRI	VER	UPRIVER		вотн	
PROBABILITY MEAN		PROBABILITY	MEAN	PROBABILITY MEAN	
OF .	DELAY	OF	DELAY	OF	DELAY
OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)
			•		
. 20	17.72			.10	17.72
.40	6.83	. 38	5.11	. 39	5.97
.13	2.88	.13	3.95	.13	3.41
.13	0.50	.13	0.58	.13	0.54
.27	1.58	.31	2.07	. 29	1.85
~		.44	3.94	.23	3.94
~~~		.06	0.58	.03	0.58
~~~~		'			
~~~					
.20	5, 89	.19	4.75	.19	5.32
. 67	9.18	.81	4.09	.74	6.31
. 03	9.32			.03	11.68
					8.00
					24.55
				•	6.53
					55.6 <u>6</u>
					0.93
					1.98
					1.98
		.01	58.25	:01	30.06
.09	3.45	.11	2.91	.10	3.16
. 01	1.00				
.01	5.66	. 01	0.50	.01	3.94
.61	8.89	. 66	8.93	. 64	8.91
	.20 .40 .13 .13 .27 .20 .67	OF DELAY OCCURRENCE (HOURS)  .20 17.72 .40 6.83 .13 2.8813 0.50 .27 1.5820 5.89 .67 9.18  .03 9.32 .24 7.29 .89 24.50 .10 3.02 .04 67.85 .06 0.66 .18 1.89 .07 1.49 .01 1.88 .09 3.45 .01 1.00 .01 5.66	PROBABILITY MEAN OF OCCURRENCE (HOURS) OCCURRENCE  . 20	PROBABILITY MEAN OF DELAY OF DELAY OF DELAY OF CCURRENCE (HOURS) OCCURRENCE (HOURS)  .20 17.72 (HOURS)  .20 6.83 .38 5.11  .13 2.88 .13 3.95  .13 0.50 .13 0.58  .27 1.58 .31 2.07  .20 1.58 .31 2.07  .21 .44 3.94  .22 .44 3.94  .23 .44 3.94  .24 7.29 .18 8.98  .89 24.50 .88 24.60  .10 3.02 .11 10.04  .04 67.85 .04 41.73  .06 0.66 .07 1.19  .18 1.89 .22 2.06  .07 1.49 .26 2.12  .01 1.88 .01 58.25  .09 3.45 .11 2.91  .01 1.00  .01 5.66 .01 0.50	PROBABILITY MEAN OF DELAY OF DELAY OF OCCURRENCE (HOURS) OCCURRENCE (HOURS) OCCURRENCE (HOURS) OCCURRENCE  .20 17.72

TABLE 11 (continued)

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

	DOWNRIVER		UPRIVER		BOTH	
	PROBABILITY OF	MEAN DELAY	PROBABILITY OF	MEAN DELAY	PROBABILITY OF	MEAN DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS
PORT ALLEN ROUTE						
WEATHER						
FOG	.12	3.78			.11	3.76
LOCKING	1.00	3.12	1.00	1.50	1.00	3.03
REPAIRS			1.00	0.58	. 06	0.58
ICE						
CREW CHANGE .						
SUPPLIES				;		
CHANNEL DELAY	.12	1.38	-		.11	1.38
AWAITING ORDERS			,			
VESSEL ASSISTING						
AWAITING BERTH		~~~				
BRIDGE WAIT	.29	1.80			.28	1.80
FLEETING	.18	2.33			.17	2.33
TENNESSEE RIVER						
•						
Weather	. 08	13.17	.03	8.08	. 06	11.90
FOG ·	.17	2.18	.31	8.44	. 24	6.09
LOCKING	.94	9.22	.97	10.03	. <del>9</del> 6	9.61
REPAIRS	.11	3.36	. 06	1.75	.09	2.82
ICE						
CREW CHANGE						
SUPPLIES	. 08	1.19	. 06	1.38	.07	1.27
CHANNEL DELAY	. 06	1.62	.13	0.88	. 09	1.12
AWAITING ORDERS	. 03	0.50			. 01	0.50
VESSEL ASSISTING	.14	4.77	.09	3.97	.12	4.47
AWAITING BERTH						
ERIDGE WAIT	.08	0.94	.03	0.25	.06	0.77
FLEETING	.67	5.04	.63	7.44	. 65	6.13

TABLE 11 (continued)

AVERAGE DELAYS BY WATERWAY - ALL MOVEMENTS

•	DOWNRI	VER	UPRIV	ER	BOTH		
	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	
UPPER MISSISSIPPI	RIVER					-	
WEATHER	.11	7.40	.07	5.74	.09	6.73	
FOG	. 22	7.55	.17	5.98	.19	6.86	
LOCKING	.82	43.02	.79	40.48	.81	41.75	
REPAIRS	.11	9.08	.06	4.30	.08	7.39	
ICE	. 05	41.92	.02	39.38	.04	41.24	
CREW CHANGE	.01	0.56	.06	1.76	.04	1.52	
SUPPLIES	. 06	2.10	.09	2.22	.08	2.17	
CHANNEL DELAY	.18	4.25	.53	2.89	.36	3.22	
AWAITING ORDERS	01	5.33	<b>.</b> 02 .	12.00	.02	9.50	
VESSEL ASSISTING	19	3.59	.17	2.91	.18	3.26	
AWAITING BERTH			.01	3.08	.01	2.50	
BRIDGE WAIT	.14	1.88	.14	1.09	.14	1.48	
FLEETING	.60	6.86	.59	6.31	.60	6.59	

TABLE 12

AVERAGE DELAYS BY WATERWAY FOR WITHIN SYSTEM MOVEMENTS

	DOWNRI	VER	UPRIVE	R	BOTH	
	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)
BLACK WARRIOR-TOMB	IGBEE RIVER S	YSTEM				
Weathèr	. 04	.50	•••	~~~	.02	0.50
FOG	. 37	6.21	. 38	9.30	. 37	7.89
LOCKING	1.00	5.33	1.00	5.28	1.00	5.30
REPAIRS .	. 26	7.77	.28	7.69	.27	7.73
ICE						
CREW CHANGE .			.03	0.42	.02	0.42
SUPPLIES						
CHANNEL DELAY	. 07	1.38	.09	2.25	.08	1.90
AWAITING ORDERS			,			
VESSEL ASSISTING						
AWAITING BERTH						
BRIDGE WAIT	.04	8.50			. 02	8.50
FLEETING	. 67	1.90	.88	4.53	. 78	3.50

TABLE 12 (continued)

## AVERAGE DELAYS BY WATERWAY FOR WITHIN SYSTEM MOVEMENTS

PROBABILITY	MEAN
OF	DELAY
OCCURRENCE	(HOURS)

### GULF INTRACOASTAL WATERWAY - EASTERN PORTION

WEATHER	.14	11.62
FOG	. 06	10.29
LOCKING	.49	8.02
REPAIRS	.10	13.38
ICE		
CREW CHANGE	.03	1.00
SUPPLIES	.08	. 1.33
CHANNEL DELAY	. 08	1.70
AWAITING ORDERS	,	
VESSEL ASSISTING	. 06	8.84
AWAITING BERTH	. 03	1.96
BRIDGE WAIT	.01	0.83
FLEETING	. 25	3.56

### GULF INTRACOASTAL WATERWAY - WESTERN PORTION

WEATHER	.18	8.78
FOG	.14	6.01
LOCKING	. 68	4.49
REPAIRS	.13	3.32
ICE	.01	3.00
CREW CHANGE	. 03	1.34
SUPPLIES	. 07	2.10
CHANNEL DELAY	. 26	2.61
AWAITING ORDERS	.01	0.25
VESSEL ASSISTING	.10 💉	4.05
AWAITING BERTH	. 04	9.08
BRIDGE WAIT .	.18	5.97
FLEETING	. 29	3.48

TABLE 12 (continued)

AVERAGE DELAYS BY WATERWAY FOR WITHIN SYSTEM MOVEMENTS

	DOMERI		UPRIVI	UPRIVER		, 
	Probability Of	DELAY	Probability Of	MEAN DELAY	PROBABILITY OF	HEAN DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS
ILLINOIS RIVER			•••• ••••			
	•	, e	<del>-</del>		•	
Weather	.16	4.15	.06	7.56	.10	5.17
POG	. 09	5.23	.17	3.41	.13	3.97
LOCKING	. 93	14.56	. 96	19.54	.95	17.31
REPAIRS	.11	2.45	. 07	8.10	.09	4.96
ICE	. 07	18.33	.06	18.86	. 06	18.60
CREW CHANGE '			.02	2.00	.01	2.00
SUPPLIES			.09	1.87	.05	1.87
CHANNEL DELAY	. 20	1.96	.65	2.44	. 44	2.35
AWAITING ORDERS	. 04	3.50	.02	2.00	.03	2.17
VESSEL ASSISTING	.18	10.13	.28	5.96	.23	4.71
AWAITING BERTH						
BRIDGE WAIT	.07	1.50	.07	0.64	. 07	1.01
FLEETING	.69	6.51	.48	6.98	.55	6.73
		• .				
LOWER MISSISSIPPI	KIVEK	•				•
•		•			,	
•			*	16000	•	
VEATHER	.03	1.81	- 04	6.42	.04	4.44
rog	. 26	9.36	.25	6.68	.26	7.99
LOCKING	.05	5.12	.03	22.66	.04	11.70
REPAIRS	.10	7.55	.21	5.10	.16	5.84
ICR						
CREW CHANGE	.01	3.75	.03	0.94	.02	1.64
SUPPLIES	.11	3.31	.17	2.66	.14	2.96
HANNEL DELAY	.08	2.59	.64	4.02	.37	3.88
WAITING ORDERS	.01	0.25	.01	4.09	.01	2.17
VESSEL ASSISTING	. 26	2.70	.21	3.94	.23	3.28
WAITING BERTH	.03	4.06	.01	1.00	.02	3.29
BRIDGE WAIT	.03	14.08	.04	0.67	.04	6.42
FLEETING	.44	9.14	.43	8.33	.43	8.72
,	• 44		• • • •	U1 U3	• 75 🗗	9.74

The state of the s

TABLE 12 (continued)

AVERAGE DELAYS BY WATERWAY FOR WITHIN SYSTEM MOVEMENTS

	DOWNRI	VER	UPRIVER		BOTH	
	PROBABILITY	MEAN	PROBABILITY	PROBABILITY MEAN		MEAN
	OF	DELAY	OF	DELAY	OF .	DELA
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOU
						•
MISSOURI RIVER				,		. 1
WEATHER	.20	17.72			.10	17.72
FOG	.40	6.83	. 38	5.11	. 39	5.97
LOCKING					~~~	
REPAIRS	.13	2.88	.12	3.95	.13	3.41
ICE		~~~	****			
CREW CHANGE	.13	0.50	.12	0.58	.13	0.54
SUPPLIES	. 27	1.58	.31	2.07	.29	1.85
CHANNEL DELAY			. 44	3.94	.23	3.94
AWAITING ORDERS			.06 .	0.58	.03	0.58
VESSEL ASSISTING						
AWAITING BERTH						
BRIDGE WAIT	. 20	5.89	.19	4.75	.19	5.32
FLEETING	.67	9.18	.81	4.09	.74	6.31
·						
OHIO RIVER			•			
•						
•						
WEATHER	. 03	6.47	. 04	16.45	.03 •	12.71
FOG	. 26	6.12	.18	8.22	. 22	7.07
LOCKING	1.00	21.15	. 99	23.24	1.00	22.27
REPAIRS	.14	3.13	.13	11.96	.13	7.68
ICE	. 06	77.26	. 04	47.56	.05	63.55
CREW CHANGE	. 08	0.69	. 08	1.31	. 08	1.03
SUPPLIES	.18	1.01	. 24	2.42	.21	1.86
CHANNEL DELAY	. 05	0.80	. 26	1.69	.17	1.57
AWAITING ORDERS	.01	0.50	.01	58.25	. 01	39.00
VESSEL ASSISTING	.11	2.83	.10	3.67	.11	3.2
AWAITING BERTH	.01	1.00				
BRIDGE WAIT			.01	0.50		
FLEETING	.75	9.65	.72	8.90	.74	9.25

TABLE 12 (continued)

AVERAGE DELAYS BY WATERWAY FOR WITHIN SYSTEM MOVEMENTS

	DOWNRI	VER	UPRIV	UPRIVER		BOTH	
	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	
UPPER MISSISSIPPI	RIVER						
WEATHER	.12	6.31	. 08	7.79	.10	6.93	
FOG	. 28	6.38	.21	6.06	. 24	6.24	
LOCKING	. 91	41.86	.87	41.74	.89	41.80	
REPAIRS	.13	11.29	.07	5.50	.10	9.20	
ICE	. 08	38.66			.04	38.66	
CREW CHANGE .	. 03	0.56	.08	1.07	. 05	0.95	
SUPPLIES	. 07	2.03	.10	1.44	. 09	1.66	
CHANNEL DELAY	.21	4.43	.55	2.66	. 38	3.13	
AWAITING ORDERS	. 03	5.33	.02	16.61	.02	10.97	
VESSEL ASSISTING	.23	3.28	.20	3.20	.21	3.24	
AWAITING BEATH	.01	0.75	. 02	3.08	. 02	2.50	
BRIDGE WAIT	. 27	1.72	. 24	1.09	.23	1.39	
FLEETING	.75	6.89	.71	7.62	.73	7.25	

TABLE 13

AVERAGE DELAY BY WATERWAY FOR INTERSYSTEM MOVEMENTS

•	DOWNRI			UPRIVER		BOTH	
	PROBABILITY		PROBABILITY		PROBABILITY	MEAN	
	OF	DELAY	of	DELAY	OF	DELAY	
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS	
BLACK WARRIOR-TOMB	IGBEE RIVER S	SYSTEM					
	_			•			
WEATHER			.20	3.25	.11	3.25	
FOG	.75	3.67	.40	6.08	. 56	4.63	
LOCKING	1.00	9.25	1.00	11.72	1.00	10.62	
REPAIRS	. 25	0.50	.20	3.17	. 22	1.84	
ICE							
CREW CHANGE							
SUPPLIES							
CHANNEL DELAY	.75	2.06	.40	0.42	. 56	1.40	
AWAITING ORDERS							
VESSEL ASSISTING							
AWAITING BERTH							
BRIDGE WAIT							
FLEETING	. 25	0.92	.40	0.75	. 33	0.81	
CUMBERLAND RIVER							
WEATHER							
FOG	.46	7.00	. 24	7.56			
LOCKING	1.00	2.18	.71	7.36 3.74	. 33	5.23	
REPAIRS	.08	0.50	.12	0.58	.83	2.69	
ICE		0.30	.14	0.56	.10	0.36	
CREW CHANGE			.12				
SUPPLIES			.12	0.66	.07	0.66	
CHANNEL DELAY			.06	1.78	.10	1.78	
AWAITING ORDERS			.06	0.33	<i>:</i> 03	0.33	
VESSEL ASSISTING							
AWAITING BERTH			.18	0.86	.10	0.86	
BRIDGE WAIT							
FLEETING	.54	2.01					
	• • •	2. UI	.47	3.33	.50	2.72	

TABLE 13 (continued)

### AVERAGE DELAY BY WATERWAY FOR INTERSYSTEM MOVEMENTS

PROBABILITY	MEAN
OF ·	DELAY
OCCURRENCE	(HOURS)

#### GULF INTRACOASTAL WATERWAY - EASTERN PORTION

WEATHER	.15	11.08
FOG	. 04	5.00
LOCKING	. 56	7.73
REPAIRS	.11	24.53
ICE		
CREW CHANGE	. 04	1.50
SUPPLIES	.15	1.50
CHANNEL DELAY	.11	1.72
AWAITING ORDERS		
VESSEL ASSISTING	. 04	2.00
AWAITING BERTH		
BRIDGE WAIT	. 04	0.83
FLEETING	. 22	4.15

## GULF INTRACOASTAL WATERWAY - WESTERN PORTION

WEATHER	. 31	9.27
FOG	.14	5.75
LOCKING	. 97	4.95
REPAIRS	.i7	2.72
ICE		
CREW CHANGE	. 03	0.50
SUPPLIES	. 07	0.92
CHANNEL DELAY	. 28	1.86
AWAITING ORDERS		
VESSEL ASSISTING .	14	5.36
AWAITING BERTH		***
BRIDGE WAIT	. 34	5.22
FLEETING	. 38	3.80

THERE IS NO CURRENT ON THE GULF INTRACOASTAL WATERWAYS

TABLE 13 (continued)

AVERAGE DELAY BY WATERWAY FOR INTERSYSTEM MOVEMENTS

	DOWNRIVER		UPRIV	<u> </u>		BOTH	
·	PROBABILITY	Y MEAN	PROBABILITY	MEAN	PROBABILITY	MEAN	
	OF	DELAY	OF	DELAY	OF	DELAY	
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	
ILLINOIS RIVER				,		•	
Weather	.15	7.62	. 02	7.00	.07	7.54	
FOG	. 20	4.08	.11	5.17	.14	4.55	
LOCKING	. 66	11.74	.72	18.23	.69	15.65	
REPAIRS	. 20	2.51	.14	4.27	.16	3.39	
ICE	. 20	28.21	.16	10.65	.17	18.91	
CREW CHANGE	.07	0.89	.04	1.84	. 05	1.27	
SUPPLIES	.05	6.25	.19	1.12	.13	1.91	
CHANNEL DELAY	. 39	3.46	.77	3.34	.61	3.37	
AWAITING ORDERS	.02	124.75			.01	124.75	
VESSEL ASSISTING	. 29	3.81	.16	11.28	.21	7.01	
AWAITING BERTH	.02	0.67			.01	0.67	
BRIDGE WAIT	. 32	1.24	.11	3.12	.19	1.83	
FLEETING	.80	9.82	.63	5.00	.70	7.30	

TABLE 13 (continued)

AVERAGE DELAY BY WATERWAY FOR INTERSYSTEM MOVEMENTS

	DOWNE	IVER	UPRIV	UPRIVER		вотн	
	PROBABILITY OF	DELAY	PROBABILITY OF	MEAN DELAY	PROBABILITY OF	MEAN DELAY	
<del></del>	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS	
LOWER MISSISSIPPI	RIVER						
WEATHER	. 08	5.71	. 03	5.33	.06	5.61	
FOG	. 22	8.83	.18	8.86	.21	8.84	
LOCKING							
REPAIRS	. 06	120.94	.11	9.12	.08	55.17	
ICE					.01	43.00	
CREW CHANGE	. 05	0.64	.06	1.92	. 05	1.22	
SUPPLIES	.17	1.81	. 21	2.15	.19	1.97	
CHANNEL DELAY	.15	0.94	.60	6.15	. 34	4.87	
AWAITING ORDERS	.01	6.67			.01	6.67	
VESSEL ASSISTING	.13	10.08	.18	3.05	.15	6.45	
AWAITING BERTH	. 01	3.17			.01	3.17	
BRIDGE WAIT	. 04	1.80	.02	1.04	03	1.58	
FLEETING	. 38	7.10	.43	6.94	.40	7.02	
OHIO RIVER							
Weather	. 02	10.42	.02	2.00	. 02	7.61	
FOG	.23	7.78	.17	10.73	.21	8.83	
LOCKING	.72	30.99	. 65	28.59	.68	30.02	
REPAIRS	. 06	2.65	. 08	1.58	. 07	2.12	
ICE	.01	2.00	.03	4.62	.02 .	3.75	
CREW CHANGE	. 03	0.56	.03	0.50	.03	0.53	
SUPPLIES	.16	2.88	.17	1.00	.17	2.05	
CHANNEL DELAY	.10	1.94	.25	3.05	.17	2.65	
AWAITING ORDERS	.01	3.25			.01	3.25	
VESSEL ASSISTING	.08	4.25	.14	1.45	.11	2.68	
AWAITING BERTH	.01	1.00			.01	1.00	
BRIDGE WAIT	.02	5.66			. 02	5.66	
FLEETING	.42	6.69	.52 .	8.87	. 46	7.75	

TABLE 13 (continued)

## AVERAGE DELAY BY WATERWAY FOR INTERSYSTEM MOVEMENTS

	DOWNRIVER		UPRIVER		BOTH	
•	PROBABILITY	LITY MEAN	PROBABILITY	MEAN	PROBABILITY	MEAN
	OF	DELAY	OF	DELAY	OF	DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS
TENNESSEE RIVER						
WEATHER	. 06	18.38	.04	8.08	. 05	14.94
FOG	.12	2.56	.23	9.67	.17	6.82
LOCKING	. 94	8.60	. 96	9.10	. 95	8.83
REPAIRS	.09	2.56	. 08	1.75	.08	2.83
ICE						
CREW CHANGE						
SUPPLIES	.06	1.54	.08	1.38	. 07	1.46
CHANNEL DELAY	.03	0.25	.08	1.38	.05	1.00
AWAITING ORDERS	. 03	0.50			.01	0.50
VESSEL ASSISTING	.15	4.77	.08	4.96	.12	4.82
AWAITING BERTH		'				
BRIDGE WAIT	.09	0.94	. 04	0.25	. 07	0.77
FLEETING	.67	4.51	. 58	7.31	.63	5.64
UPPER MISSISSIPPI	RIVER					
			•		47	
WEATHER	. 09	9.30	.06	1.65	. 07	6.36
FOG	.15	10.17	. 09	5.68	.12	8.46
LOCKING	.70	46.15	.68	39.00	.69	42.66 2.37
REPAIRS	. 07	3.21	. 03	0.69	.05	46.40
ICE	.01	74.50	. 05	39.38	.03	5.25
CREW CHANGE			.02	5.25	.01	
SUPPLIES	. 06	2.20	. 08	3.69	.07	3.07 3.35
CHANNEL DELAY	.14	3.84	. 49	3.21	.31	
AWAITING ORDERS		4 36	.02	5.08	.01	5.08 3.30
VESSEL ASSISTING	.13	4.36	.13	2.24	.13	3.30
AWAITING BERTH	.03	2.78			.02	2.78
BRIDGE WAIT	.39	6:60	.43	3.21	.41	4.83
FLEETING	• • •	3.00	• • •	7.44	• 4	7.00

TABLE 14

AVERAGE DELAY BY WATERWAY AND SEASON

	DOWNRIVER		UPRIVER		вотн	
	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS
BLACK WARRIOR-TOME	IGBEE RIVER	SYSTEM				
FALL			•			
WEATHER	***					
FOG	.80	8.21	.50	21.25	. 64	13.80
LOCKING	1.00	7.35	1.00	7.47	1.00	7.42
REPAIRS	.20	13.00	.50	9.06	. 36	10.04
ICE	***			*		
CREW CHANGE .	****					
SUPPLIES	****					
CHANNEL DELAY			.17	2.00	.18	2.00
AWAITING ORDERS	~~~					
VESSEL ASSISTING						
AWAITING BERTH						
BRIDGE WAIT						
FLEETING	.80	1.58	1.00	5.00	.82	3.48
SPRING						
*						
WEATHER	.10	0.50			.05 •	0.50
FOG	. 30	3.81	.58	6.12	.45	5.43
LOCKING	1.00	4.89	1.00	4.36	1.00	4.60
REPAIRS	.40	4.81	. 25	8.08	. 32	6.21
ICE						
CREW CHANGE						
SUPPLIES	****					
CHANNEL DELAY						
AWAITING ORDERS						
VESSEL ASSISTING					****	
AWAITING BERTH			***			
BRIDGE WAIT			~			
FLEETING	.60	0.77	.83	3.21	.73	2.29
1 222 1 1 173					• , •	

TABLE 14 (continued)

AVERAGE DELAY BY WATERWAY AND SEASON

	DOWNRIVER		UPRIVER		вотн	
•	PROBABILITY	MEAN	PROBABILITY	MEAN	PROBABILITY	MEAN
	of .	DELAY	OF	DELAY	OF	DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)
BLACK WARRIOR-TOME SUMMER	BIGBEE RIVER	SYSTEM				
WEATHER						
FOG	. 25	5.94	.15	2.50	.20	4.57
LOCKING	. 92	5.06	1.00	5.33	. 96	5.21
REPAIRS	.17	11.09	.15	7.29	.16	9.18
ICE						
CREW CHANGE			. 08	0.42	. 04	0.42
SUPPLIES						
CHANNEL DELAY	.17	1.38	.15	2.38	.16	1.88
AWAITING ORDERS						
VESSEL ASSISTING						
AWAITING BERTH						
BRIDGE WAIT						****
FLEETING	.67	2.92	. 92	4.96	.80	4.14
WINTER						
WEATHER						
FOG						
LOCKING	1.00	2.50	1.00	2.42	1.00	2.46
REPAIRS			1.00	3.25	.50 .	3.25
ICE						
CREW CHANGE						
SUPPLIES						
CHANNEL DELAY						
AWAITING ORDERS					`	
VESSEL ASSISTING						
AWAITING BERTH						
BRIDGE WAIT	1.00	8.50			.50	8.50
FLEETING			10	10.33	.50	10.33
	•					

## TABLE 14 (continued)

## AVERAGE DELIY BY WATERWAY AND SEASON

MEAN

	OF	DELAY
	OCCURRENCE	(HOURS)
		•
GULF INTRACOASTAL W	aterway - Eastern	PORTION
FALL	•	
WEATHER		~~~
FOG		****
LOCKING	.33	4.50
REPAIRS	.22	2.92
ICE		
CREW CHANGE		**
SUPPLIES	.11	0.67
CHANNEL DELAY	.11	0.33
AWAITING ORDERS		***
VESSEL ASSISTING		
AWAITING BERTH	,	
BRIDGE WAIT		
FLEETING	.22	1.21
SPRING		
WEATHER	.12	11.75
FOG	.12	5.00
LOCKING	. 38	16.39
REPAIRS	.12	0.83
ICE		*
CREW CHANGE	****	
SUPPLIES		
CHANNEL DELAY		
AWAITING ORDERS		
VESSEL ASSISTING	.12	0.50
AWAITING BERTH	<b></b>	

BRIDGE WAIT FLEETING

PROBABILITY

The second second

0.56

TABLE 14 (continued)

MEAN

	OF	DELAY
	OCCURRENCE	(HOURS)
GULF INTRACOASTAL WA	TERWAY - EASTER	N PORTION
SUMMER		
WEATHER	.20	5.25
FOG		
LOCKING	. 20	11.58
REPAIRS		
ICE		
CREW CHANGE	~~~	,
SUPPLIES	***	
CHANNEL DELAY	.20	3.00
AWAITING ORDERS	,	
VESSEL ASSISTING	. 20	0.67
AWAITING BERTH		***
BRIDGE WAIT	~~~	
FLEETING	.40	5.62
WINTER		
	^1	34 45
WEATHER	.21	14.42
FOG	.14	15.58
LOCKING	. 57	4.94
REPAIRS		
ICE		
CREW CHANGE	. 07	0.50
SUPPLIES		
CHANNEL DELAY		
awaiting orders	-	****
VESSEL ASSISTING	.07	32.17
AWAITING BERTH	.14	1.96
BRIDGE WAIT		
FLEETING	. 21	5.58

PROBABILITY

A CONTRACTOR OF THE PARTY OF TH

## TABLE 14 (continued)

## AVERAGE DELAY BY WATERWAY AND SEASON

PROBABILITY	MEAN
OF	DELAY
OCCURRENCE	(HOURS)

# GULF INTRACOASTAL WATERWAY - WESTERN PORTION FALL

WEATHER		
FOG	. 36	3.73
LOCKING	.79	7.48
REPAIRS .	.07	1.84
ICE		
CREW CHANGE	. 07	0.83
SUPPLIES	. 21	1.89
CHANNEL DELAY	.07	1.32
AWAITING ORDERS	. 07	0.25
VESSEL ASSISTING	.07	5.25
AWAITING BERTH		
BRIDGE WAIT	.14	4.29
FLEETING		

#### SPRING

WEATHER	.11	13.33
FOG ·	. 26	4.18
LOCKING	.78	7.85
REPAIRS	.15	1.96
ICE		
CREW CHANGE		
SUPPLIES	.15	1.14
CHANNEL DELAY	. 48	2.45
AWAITING ORDERS	. 04	2.00
VESSEL ASSISTING	.15	1.08
AWAITING BERTH	. 04	29.83
BRIDGE WAIT	.15	6.46
FLEETING	.44	2.98

TABLE 14 (continued)

	PROBABILITY OF OCCURRENCE	MEAN DELAY (HOURS)
GULF INTRACOASTAL WAS SUMMER	aterway - Western	PORTION
WEATHER	.18	0.29
FOG		
LOCKING	. 55	10.82
REPAIRS	.18	6.08
ICE		
CREW CHANGE		,
SUPPLIES		
CHANNEL DELAY	.09	24.00
AWAITING ORDERS		
VESSEL ASSISTING	.18	0.80
AWAITING BERTH	.09	6.00
BRIDGE WAIT		
FLEETING	.18	1.42
winter -		
WEATHER	, 09	4.96
FOG	.18	11.38
LOCKING	. 59	5.93
REPAIRS	. 09	11.62
ICE		
CREW CHANGE	.04	2.17
SUPPLIES	.18	3.09
CHANNEL DELAY	.23	2.30
AWAITING ORDERS		
VESSEL ASSISTING		
AWAITING BERTH	.14	8.33
BRIDGE WAIT	. 09	1.54
FLEETING	. 23	1.73

TABLE 14

## AVERAGE DELAY BY WATERWAY AND SEASON

(continued)

	DOWNRIVER		UPRIVER		BOTH	
	PROBABILITY OF	DELAY	PROBABILITY OF	MEAN DELAY	PROBABILITY OF	MEAN DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)
ILLINOIS RIVER		-				•
FALL	•					
WEATHER	. 20	4.55			. 09	4.55
FOG	.20	6.19	. 25	4.57	.23	5.17
LOCKING	1.00	14.97	1.00	24.59	1.00	20.47
REPAIRS	.07	0.50	.05	9.50	.06	5.00
ICE						
CREW CHANGE						
SUPPLIES			.05	5.75	.03	5.75
CHANNEL DELAY	.20	1.22	.65	1.58	-46	1.51
AWAITING ORDERS	. 07	2.50			.03	2.50
VESSEL ASSISTING	. 07	3.83	. 20	8.88	.14	7.87
AWAITING BERTH						
BRIDGE WAIT			.15	0.61	.09	0.61
FLEETING	. 47	4.15 .	.40	2.06	.43	3.04
SPRING						
WEATHER	.13	4.08	.10	6.50	.11	5.29
FOG	.13	2.33			.06	2.33
LOCKING	1.00	13.98	1.00	21.93	1.00	18.39
REPAIRS	. 25	5.00	.10	2.67	,17	4.22
ICE						
CREW CHANGE						
SUPPLIES			.10	0.42	. 06	0.42
CHANNEL DELAY	. 25	0.88	.80	2.16	∙. 56	1.90
AWAITING ORDERS						
VESSEL ASSISTING	.25	2.42	.20	5.63	.22	4.02
AWAITING BERTH						
BRIDGE WAIT	.13	0.17			.06	0.17
FLEETING	. 63	10.37	.90	4.17	.78	6.38

TABLE 14 (continued)

ILLINOIS RIVER SUMMER WEATHER FOG LOCKING REPAIRS	DOWNE	IVER .	UPRIVER		BOTH	
ILLINOIS RIVER SUMMER WEATHER FOG LOCKING REPAIRS	ROBABILIT	Y MEAN	PROBABILITY	MEAN	PROBABILITY	MEAN
ILLINOIS RIVER SUMMER WEATHER FOG LOCKING REPAIRS	F	DELAY	of	DELAY	OF	DELAY
SUMMER WEATHER FOG LOCKING REPAIRS	CCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS
FOG LOCKING REPAIRS						
LOCKING REPAIRS	. 07	2.33	. 08	2.00	.07	2.16
REPAIRS						-
	. 87	19.38	.83	19.59 .	. 85	19.47
	.13	0.88	.08	4.33	.11	2.03
ICE					****	
CREW CHANGE .			. 08	2.00	.04	2.00
SUPPLIES			.08 .	0.42	. 04	0.42
CHANNEL DELAY	.13	1.00	.75	1.12	.41	1.10
AWAITING ORDERS	. 07	4.50			. 04	4.50
VESSEL ASSISTING	. 07	0.67	.17	1.88	.11	1.57
AWAITING BERTH						
BRIDGE WAIT	.13	2.17			.07	2.17
FLEETING	.93	5.24	.25	7.23	.67	5.68
WINTER .						
WEATHER	. 29	4.50	.08	14.17	.16	7.72
FOG			.33	1.96	.21	1.96
LOCKING	. 86	3.85	1.00	9.09	.95	7.34
REPAIRS			.08	15.92	. 05	15.92
ICE	.43	18.33	. 25	18.86	.32	18.60
CREW CHANGE						
SUPPLIES			.17	1.38	.11	1.36
CHANNEL DELAY	. 29	5.13	.42	7.55	. 37	6.86
AWAITING ORDERS			.08	2.00	.05	2.00
VESSEL ASSISTING	. 57	17.93	.58	5.55	.58	10.05
AWAITING BERTH						
BRIDGE WAIT	-					
FLEETING			.08	0.75	.05	0.75

TABLE 14 (continued)

AVERAGE DELAY BY WATERWAY AND SEASON

•	DOWNRIVER		UPRIVER		BOTH	
	PROBABILITY OF	DELAY	PROBABILITY OF	MEAN DELAY	PROBABILITY OF	MEAN DELAY
	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)
LOWER MISSISSIPPI	RIVER			•		•
FALL						
WEATHER	.05	1.50	~~~		.02	1.50
FOG	. 32	5.43	.43	4.08	. 38	4.55
LOCKING			****		-	
REPAIRS	. 05	1.75	.23	7.74	.15	6.99
ICE .						~~~~
CREW CHANGE	. 05	3.75	.03	1.00	.04	2.38
SUPPLIES	.14	1.77	.17	1.72	.15	1.74
CHANNEL DELAY	.23	2.52	.83	5.96	. 58	5.38
AWAITING ORDERS	. 05	0.25			.02	0.25
VESSEL ASSISTING	.27	2.83	.20	2.38	.23	2.60
AWAITING BERTH						
BRIDGE WAIT					*	
FLEETING	.50	5.56	.47	5.60	.48	6.11
SPRING .						
• •						
WEATHER	. 04	2.50		***	.02	2.50
FOG	. 29	4.98	.19	4.03	.24	4.62
LOCKING					****	
REPAIRS	.11	12.64	.11	2.83	.11	7.74
ICE						
CREW CHANGE		~~~~	.04	0.83	.02	0.83
SUPPLIES	.07	0.46	. 04	5.19	.11	3.61
CHANNEL DELAY	. 04	3.25	.48	2.56	. 25	2.61
AWAITING ORDERS			. 04	4.09	. 02	4.09
VESSEL ASSISTING	.18	1.73	. 37	4.92	.27	3.86
AWAITING BERTH				~~~		
BRIDGE WAIT	.11	14.08	. 37	0.38	.09	8.60
FLEETING	. 43	9.67	. 48	10.61	.45	10.16

TABLE 14 (continued)

	DOWNRIVER		UPRIVER		вотн	
	PROBABILIT		PROBABLITIY MEAN		PROBABILITY MEAN	
	OF		OF	DELAY	OF	DELAY
	OCCURENCE	(HOURS)	OCCURENCE	(HOURS)	OCCURENCE	(HOURS)
LOWER MISSISSIPPI I	RIVER					
WEATHER			.04	0.50	.02	0.50
FOG	. 04	3.00			.02	3.00
LOCKING						
REPAIRS	.04	0.75	. 32	4.03	.18	3.66
ICE					~~~	
CREW CHANGE			.04	1.00	.02	1.00
SUPPLIES	.12	2.92	.16	1.69	.14	2.21
CHANNEL DELAY			.60	3.21	.29	3.21
AWAITING ORDERS						
VESSEL ASSISTING	.27	2.25	.08	1.75	.18	2.14
AWAITING BERTH	.12	4.06			.06	4.06
BRIDGE WAIT						
FLEETING	.35	5.21	. 28	7.14	.31	6.06
WINTER .						
WEATHER FOG	.07 .53	1.42 17.97	.16 .37	8.39 13.39	• • • • • • • • • • • • • • • • • • •	6 <b>45</b> 19,83
LOCKING						
REPAIRS	.27	6.89	.16	4.08	.21	5.69
ICE						
CREW CHANGE						
SUPPLIES	.13	9.04	.16	0.81	.14	4.10
CHANNEL DELAY	.07	2.33	.58	2.42	.35	2.42
AWAITING ORDERS						
VESSEL ASSISTING	.40	3.89	.16	5.25	. 26	4.34
AWAITING BERTH			.05	1.00	.03	1.00
BRIDGE WAIT			.11	0.96	. 06	0.96
FLEETING	. 53	16.02	. 42	10.61	.47	13.32

TABLE 14 (continued)

AVERAGE DELAY BY WATERWAY AND SEASON

	DOWNRIVER PROBABILITY MEAN		UPRIV	ER	BOT	Н
			PROBABILITY	MEAN	PROBABILITY MEAN	
	OF	DELAY	OF	DELAY	OF	DELAY
	OCCURRENCE	(HOURS)	OCCURENCE	(HOURS)	OCCURANCE	(HOURS
MISSOURI RIVER FALL						
WEATHER	. 20	37.67	~~~		. 10	37.67
FOG	.80	9.33	.60	7.50	. 70	8.55
LOCKING			~-~-			
REPAIRS	.40	2,88	. 20	3.32	. 30	3.02
ICE						
CREW CHANGE	.20	0.50	. 20	0.92	. 20	0.71
SUPPLIES	.40	1.83	. 40	1.66	. 40	1.75
CHANNEL DELAY			.60	1.31	. 30	1.31
AWAITING ORDERS				~		~
VESSEL ASSISTING	3					
AWAITING BERTH						
BRIDGE WAIT	.20	1.17			. 10	1.17
FLEETING	. 40	10.84	.80	3.67	. 60	6.06
SPRING						
WEATHER	.50	8.75			.17	8.75
FOG			.25	2,25	. 17	2.25
LOCKING						
REPAIRS	~~~		. 25	4.58	.17	4.58
ICE	~					
CREW CHANGE			.25	0.25	.17	0.25
SUPPLIES	. 50	0.83	. 50	2.58	. 50	2.00
CHANNEL DELAY	~~~		. 50	0.42	. 33	0.42
AWAITING ORDERS	~			~~~	**	~
VESSEL ASSISTING	ز					~~~~
AWAITING BERTH			up dis and dis			
BRIDGE WAIT	1 00	24.79	,75	4 20	.83	10.07
FLEETING	1.00	24.19	(1)	4.29	.03	12.87

TABLE 14 (continued)
AVERAGE DELAY BY WATERWAY AND SEASON

	DOWNRIVER		UPRIVER		вотн	
	PROBABILITY OF OCCURENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURENCE	MEAN DELAY (HOURS)
MISSOURI RIVER SUMMER						
WEATHER	.12	6.75			.07	6.75
FOG	. 25	1.83	. 29	2.96	. 27	2.40
LOCKING						
REPAIRS						
ICE					.07	0.50
CREW CHANGE	.12	0.50			.13	1.83
SUPPLIES	.12	1.83	.14	1.83	. 13	11.42
CHANNEL DELAY			. 29	0.58	.07	0.58
AWAITING ORDERS						
VESSEL ASSISTING						
AWAITING BERTH						
BRIDGE WAIT	.25	8.25	. 43	4.75	. 33	6.15
FLEETING	.75	3.43	.86	3.96	. 80	3.70

THERE WERE NO SAMPLE OBSERVATIONS FOR WINTER TRIPS ON THE MISSOURI RIVER AS THE WATERWAY WAS CLOSED.

TABLE 14 (continued)

AVERAGE DELAY BY WATERWAY AND SEASON

•	DOWNRIVER		UPRIV	ÆR	BOT	H
	PROBABILITY	MEAN	PROBABILITY	TY MEAN PROBABI	PROBABILITY	TY MEAN
	OF	DELAY	OF	DELAY	OF	DELAY
<del></del>	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS
OHIO RIVER						-
FALL						
WEATHER			. 05	1.62	.03	1.62
FOG	.40	7.98	. 34	11.80	. 36	10.21
LOCKING	1.00	48.70	1.00	46.21	1.00	47.15
REPAIRS	. 08	4.00	.15	13.22	.12	10.92
ICE .						
CREW CHANGE	.20	0.67	.10	1.60	.14	1.08
SUPPLIES	.12	0.75	.15	4.72	.14	3.40
CHANNEL DELAY	. 08	0.46	.27	3.63	. 20	3.14
AWAITING ORDERS						
VESSEL ASSISTING	.04	1.00	.02	0.92	.03	0.96
AWAITING BERTH						
BRIDGE WAIT						
FLEETING	.80	11.75	.61	8.10	. 68	9.72
SPRING						
WEATHER		~~~				
FOG	. 08	4.06	.09	1.81	.08	2.77
LOCKING	1.00	8.40	. 98	8.84	. 99	8.62
REPAIRS	. 20	2.56	.14	15.39	.17	8.06
ICE						
CREW CHANGE			.09	0.54	. 05	0.54
SUPPLIES	.15	1.15	.19	2.09	.17	1.69
CHANNEL DELAY	.05	0.46	. 26	0.98	16	0.90
AWAITING ORDERS			. 02	115.75	.01	115.75
VESSEL ASSISTING	.10	1.56	. 07	1.14	.08	1.38
AWAITING BERTH	.03	1.00			.01	1.00
BRIDGE WAIT						
FLEETING	.78	7.69	.79	8.24	.78	7.98

TABLE 14 (continued)

AVERAGE DELAY BY WATERWAY AND SEASON

	DOWNRIVER		UPRIV	ER	вотн	!
	PROBABILITY OF OCCURENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURENCE	MEAN DELAY (HOURS)	PROBABILITY OF OCCURENCE	MEAN DELAY (HOURS
OHIO RIVER SUMMER						
WEATHER						
FOG	. 26	4.65	. 14	2.73	. 20	3.90
LOCKING		5.89	1.00	16.85	1.00	6.37
REPAIRS	.06	0.88	.09	3.83	.07	2.65
ICE						
CREW CHANGE	.09	0.39	.06	2.83	.07	1.36
SUPPLIES	.21	0.99	.40	1.27	.30	1.17
CHANNEL DELAY	.03	2.50	. 29	0.83	. 16	0.98
AWAITING ORDERS	.03	0.50			.01	0.50
VESSEL ASSISTING	.09	0.70	. 14	2.42	.12	1.77
AWAITING BERTH						
BRIDGE WAIT			.03	0.50	.01	0.50
FLEETING	.68	8.87	.74	9.52	.71	9.21
WINTER						
WEATHER	.17	6.47	. 18	26.33	.17	16.40
FOG	.44	6.23	.12	9.62	. 29	6.91
LOCKING		21.16	1,00	16.56	1.00	18.93
REPAIRS		4.96	.12	10.04	.17	6.65
ICE		77.26	. 35	47.56	. 37	62.55
CREW CHANGE	.06	1.75	.06	0.17	.06	0.96
SUPPLIES	.28	1.02	. 24	3.64	. 26	2.18
CHANNEL DELAY	.06	0.50	. 24	0.50	. 14	0.50
AWAITING ORDERS			.06	0.75	.03	0.75
VESSEL ASSISTING	. 28	5.50	. 24	6.98	. 29	6.24
AWAITING BERTH					~	
BRIDGE WAIT						
FLEETING	.77	12.27	.78	10.88	.77	11.60

TABLE 14 (continued)

AVERAGE DELAY BY WATERWAY AND SEASON

	DOWNRIVER PROBABILITY MEAN: OF DELAY OCCURRENCE (HOURS)		UPRIVI	ER	BOTH	
			PROBABILITY OF OCCURRENCE	OF DELAY		MEAN DELAY (HOURS)
	OCCORRENCE	(ROURS)	OCCURRENCE	(AOCAS)	OCCURRENCE	(HOURS
UPPER MISSISSIPPI FALL	RIVER					•
E ALLIA						
WEATHER	. 03	2.50			.01	2.50
FOG	. 48	6.63	. 26	7.73	. 36	7.07
LOCKING	. 97	32.93	. 95	34.25	. 96	33.65
REPAIRS	.03	1.75	.03	13.00	.03	7.38
ICE						
CREW CHANGE	. 06	0.46	.61	1.33	. 09	1.04
SUPPLIES	.13	1.73	.16	1.52	.14	1.60
CHANNEL DELAY	. 29	2.69	.50	1.92	.41	2.17
AWAITING ORDERS			.05	1.79	.03	1.79
VESSEL ASSISTING	.19	5.30	.21	2.44	.20	3.67
AWAITING BERTH						
BRIDGE WAIT	. 26	0.68	.29	0.78	<b>. 28</b>	0.74
FLEETING	.90	6.12	. 76	7.17	.83	6.65
5PRING						
WEATHER	.18	9.68	.12	16.15	.15	12.56
FOG	.11	4.58	. 09	4.14	.10	4.36
LOCKING	.89	37.15	. 91	48.04	.90	43.00
REPAIRS	.21	4.90	.09	10.84	.15	6.90
ICE						
CREW CHANGE			.06	1.34	.03	1.34
SUPPLIES	. 04	3.00	.06	0.62	.04	1.42
CHANNEL DELAY	. 07	3.38	.44	4.26	. 27	4.15
AWAITING ORDERS	. 04	1.50			.01	1.50
	. 25	2.00	.19	2.94	.22	2.44
VESSEL ASSISTING						
VESSEL ASSISTING AWAITING BERTH BRIDGE WAIT		0.77	.19	0.90	. 25	0.82

TABLE 14 (continued)

	DOWNRIVER		UPRIV		BOTH	A
	PROBABILITY	Y MEAN	PROBABILITY	MEAN	PROBABILITY	
	O₹	DELAY	of	DELAY	of	DELAY
·	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)	OCCURRENCE	(HOURS)
UPPER MISSISSIPPI	RIVER		•			
SUMMER			•			
WEATHER	.14	0.87	.13	2.22	.13	1.61
FOG	. 28	3.87	. 28	3.79	.28	3.82
LOCKING	1.90	43.35	.91	40.68	. 95	41.90
REPAIRS	.19	19.31	.09	0.83	.13	12.59
ICE						-~-
CREW CHANGE	.03	0.75	. 06	0.67	• 05	0.69
SUPPLIES .	.06	2.16	.09	1.71	. 07	1.86
CHANNEL DELAY	. 28	2.84	.66	2.48	.49	2.57
AWAITING ORDERS			. 02	46.25	.01	46.25
VESSEL ASSISTING	. 28	2.50	.21	3.67	.24	3.08
AWAITING BERTH	. 03	0.75			. 01	0.75
BRIDGE WAIT	. 25	3.46	. 28	1.44	.27	2.26
FLEETING	. 69	6.54	.70	9.79	.70	8.39
WINTER		÷	•	,		
WEATHER	.12	11.03			.09	11.03
FOG	.20	11.77	.11	24.75	.18	13.93
LOCKING .	.72	60.28	_	107.92	.59	65.04
REPAIRS	.08	7.12	.11	0.50	.09	4.92
ICE	.40	38.66	***	V. 30	.29	38.66
CREW CHANGE			.11	0.67	.03	0.67
SUPPLIES	. 04	2.00	.11	1.50	.06	1.75
CHANNEL DELAY	.16	12.83	.55	2.12	.26	6.88
AWAITING ORDERS	.08	7.25		****	.06	7.25
VESSEL ASSISTING	.16	4.44	.11	6.25	.15	4.80
AWAITING BERTH		~~~	.11	6.00	.03	6.00
BRIDGE WAIT	. 04	3.00	***		.03	3.00
FLEETING	.48	6.68	.11	6.67	. 38	6.68

UPSTREAM IIIII ............ TOW SPEEDS WEIGHTED AVERAGE ANNUMERIALY ............ 7 18-12-

SH 10045 . TAT


Figure 1

. Pa

DELAYS VELOCITY ATTENDED TO TOW SPEEDS WEIGHTED AVERAGE ANNUAL DOWNSTREAM UNDERWAY FORM 207 -91 4 12œ ġ ò Ò


TAR . KHHUOLUK

Figure 2



>MIOOHH> · EFE

Figure 3



>MLOOHF> 、 HPI

Figure 4